# Citizen engagement through shoreline cleanup litter data: British Columbia case study

Vanessa Fladmark, Cassandra Konecny, Santiago de la Puente, The University of British Columbia, Vancouver, B.C., Canada




## B.C. Shoreline Litter Outline:

How this project began

Science of marine debris

Educational outreach

Recommendations



#### **UBC Graduate Course**




THE UNIVERSITY OF BRITISH COLUMBIA



Vancouver Campus



Home About People ➤ Opportunities ➤ Contact Call for Projects Events



### First Shoreline Cleanup







## Great Canadian Shoreline Cleanup (GCSC)



## B.C. Study Regions








#### Source of B.C. Litter





#### More Litter in Remote Areas



#### Scientists: Research Note

Regions had unique characteristics; there was no change over time

Marine Pollution Bulletin 135 (2018) 411-417

FISEVIER

Contents lists available at ScienceDirect

#### Marine Pollution Bulletin

journal homepage: www.elsevier.com/locate/marpolbul



Towards cleaner shores: Assessing the Great Canadian Shoreline Cleanup's most recent data on volunteer engagement and litter removal along the coast of British Columbia, Canada



Cassandra Konecny<sup>a,b</sup>, Vanessa Fladmark<sup>b,c,\*</sup>, Santiago De la Puente<sup>b</sup>

- a Department of Zoology, The University of British Columbia, Vancouver, BC, Canada
- <sup>b</sup> Institute for the Ocean and Fisheries, The University of British Columbia, Vancouver, BC, Canada
- <sup>c</sup> Earth, Ocean and Atmospheric Sciences Department, The University of British Columbia, Vancouver, BC, Canada


#### ARTICLE INFO

Keywords:
Great Canadian Shoreline Cleanup
British Columbia
Coastal trash
Plastics
Litter diversity
Ocean citizenship


#### ABSTRACT

This paper analyzes voluntary cleanups organized by the Great Canadian Shoreline Cleanup (GCSC) along the coast of British Columbia (2013–2016). Cleanup performance indicators, litter composition and diversity were compared between years and across areas (i.e., North Coast of British Columbia, Inner Coast of Vancouver Island, West Coast of Vancouver Island, and Southern Strait of Georgia). Significant differences in parameters were found between areas but not across time. Spatial variation in trash composition and diversity was mostly related to source of litter. Trash yield per kilometre of shoreline was higher in isolated areas and in areas with exposed shorelines. The majority of recovered litter items were composed of plastic. Local actions, complementary to the GCSC, such as banning single-use, non-biodegradable takeout containers on beaches, implementing trash buyback programs, and modifying waste management and recycling regulations, are proposed as mechanisms for strengthening the prevention and mitigation of coastal pollution in British Columbia.

#### Students: Interactive App



### Students: Interactive App




#### Citizens: Public Events



#### Citizens: News Articles






#### Citizens: Social Media



ocean and we owe our lives to it. Nowadays, living in the big city of Vancouver, it's hard for me to see carelessly discarded litter. Since I tried to not think about this



#### Youth: Casual Conversation



## Kids: AquaVan



#### Recommendations



Bring your own bag



Don't litter cigarettes



Carry a reusable water bottle



Pack your lunch in reusable containers



Say no to plastic straws & cutlery

#### Recommendations

- What is most effective for the audience? Connections!
- Utilize different tools for each aspect of your science
- Ground your science in reality and share experiences









#### http://35.182.174.44:3838/LegacyApp/



Santiago de la Puente @sdelapuente



Cassandra Konecny
©CassKonecny

