



References

[endnotes]

- ¹ Updated from Freeland, H.J., Denman, K., Wong, C.S., Whitney, F. and Jacques, R. 1997. Evidence of change in the winter mixed layer in the Northeast Pacific Ocean. *Deep-Sea Research* 44: 2117-2129.
- ² Boyd, P.W., Law, C.S., Nojiri, Y., Wong, C.S., Tsuda, A., Levasseur, M., Takeda, S., Rivkin, R., Harrison, P.J., Strzepek, R., Gower, J., McKay, R.M., Abraham, E., Arychuk, M., Barwell-Clarke, J., Crawford, D., Crawford, W., Hale, M., Harada, K., Johnson, K., Kiyosawa, H., Kudo, I., Marchetti, A., Miller, W., Needoba, J., Nishioka, J., Ogawa, H., Page, J., Robert, M., Saito, H., Sastri, A., Sherry, N., Soutar, T., Sutherland, N., Taira, T., Whitney, F., Wong, S-K. E. and Yoshimura, T. 2004. The decline and fate of an iron-induced subarctic phytoplankton bloom. *Nature* 428: 549-553. doi:10.1038/nature02437 www.nature.com/nature.
- ³ McGowan, J.A., Bograd, S.J., Lynn, R.J. and Miller, A.J. 2003. The biological response to the 1977 regime shift in the California Current. *Deep-Sea Research II* 50: 2567-2582.
- ⁴ Analysis from Sea Around Us Project, UBC Fisheries Centre. <http://saup.fisheries.ubc.ca>
- ⁵ Hay, D.E. et al. 2001. Taking stock: an inventory and review of world herring stocks in 2000. In: Herring : Expectations for a New Millennium, p. 381 – 454. Alaska Sea Grant College Program, AK-SG-01-04, 2001.
- ⁶ Data source: <http://www.afsc.noaa.gov/refm/stocks/estimates.htm>
- ⁷ Ruggerone, G.T., Zimmerman, M., Myers, K.W., Nielsen, J.L., and Rogers, D.E. 2003. Competition between Asian pink salmon (*Oncorhynchus gorbuscha*) and Alaskan sockeye salmon (*O. nerka*) in the North Pacific Ocean. *Fisheries Oceanography* 12: 209-219.
- ⁸ Baumgartner, T.R., Soutar, A., and Ferreira-Barrtrina, V. 1992. Reconstruction of the history of Pacific sardine and northern anchovy populations over the last two millennia from sediments of the Santa Barbara Basin, California. *CalCOFI Report* 33: 24-40.
- ⁹ California Department of Fish and Game. 2002. Review of some California fisheries for 2001: market squid, sea urchin, Dungeness crab, lobster, prawn, abalone, groundfish, swordfish and shark, coastal pelagic finfish, ocean salmon, nearshore live-fish, Pacific herring, white seabass, and kelp. *CalCOFI Report* 43: 13-30.
- Springer, A.M., Estes, J.A., van Vliet, G.B., Williams, T.M., Doak, D.F., Danner, E.M., Forney, K.A. and Pfister, B. 2003. Sequential megafaunal collapse in the North Pacific Ocean: an ongoing legacy of industrial whaling? *PNAS* 100: 12223-12228.
- ¹⁰ Scholin, C.A., et al. 2000. Mortality of sea lions along the central California coast linked to a toxic diatom bloom. *Nature* 403: 80-84.
- ¹¹ World Resources Institute. <http://earthtrends.wri.org>. Accessed 9 September 2003.
- ¹² Ross, P.S., Ellis, G.M., Ikonou, M.G., Barrett-Lennard, L.G. and Addison, R.F. 2000. High PCB concentrations in free-ranging Pacific killer whales, *Orcinus orca*: effects of age, sex and dietary preferences. *Marine Pollution Bulletin* 40: 504-515.
- ¹³ Feely, R.A. (Ed) 2003. CO₂ in the North Pacific Ocean. *PICES Scientific Report* No. 24, 49 p.
- ¹⁴ Karl, D.M. 1999. A sea of change: biogeochemical variability in the North Pacific subtropical gyre. *Ecosystems* 2: 181-214.
- ¹⁵ Norris, J.R. 2000. Interannual and interdecadal variability in the storm track cloudiness and SST over the summertime North Pacific. *Journal of Climate* 13: 422-430.
- ¹⁶ Barnston, A.G. and Livezey, R.E. 1987. Classification, seasonality and persistence of low frequency atmospheric circulation patterns. *Monthly Weather Review* 115: 1083-1126.
- ¹⁷ Castanheira, J.M., Graf, H., Da Camara, C.C. and Rocha, A. 2002. Using a physical reference frame to study circulation variability. *Journal of Atmospheric Science* 59: 1490-1501.
- ¹⁸ Source data: <http://www.pfeg.noaa.gov/products/PFEL/modeled/indices/upwelling/>
- ¹⁹ Source data: <http://www.cpc.noaa.gov/data/teledoc/np.html>
- ²⁰ Overland, J.E., Bond, N.A. and Adams, J.M. 2002. The relation of surface forcing of the Bering Sea to large-scale climate patterns. *Deep-Sea Research II* 30: 5855-5868.
- ²¹ Trenberth, K.E. and Hurrell, J.W. 1994. Decadal atmospheric-ocean variations in the North Pacific. *Climate Dynamics* 9: 303-319.
- ²² Wallace, J.M. and Gutzler, D.S. 1981. Teleconnections in the geopotential height field during northern hemisphere winter. *Monthly Weather Review* 109: 784-812.
- ²³ Mantua, N., Hare, S.R., Zhang, Y., Wallace, J. and Francis, R.C. 1997. A Pacific interdecadal oscillation with impacts on salmon production. *Bulletin of the American Meteorological Society* 78: 1069-1079.
- ²⁴ <http://www.cpc.noaa.gov/data/teledoc/wp.html>
- ²⁵ Nakamura, H., Izuma, T. and Sampe, T. 2002. Interannual and decadal modulations recently observed in the Pacific storm track activity and east Asian winter monsoon. *Journal of Climate* 15, 1855-1874.
- ²⁶ Hare, S.R. and Mantua, N. 2000. Empirical evidence for North Pacific regime shifts in 1977 and 1989. *Progress in Oceanography* 47: 103-145.
- ²⁷ McFarlane, G.A., King, J.R. and Beamish, R.J. 2000. Have there been recent changes in climate? Ask the fish. *Progress in Oceanography* 47: 147-169.

- ²⁸ Bond, N.A., Overland, J.E., Spillane, M. and Stabeno, P. 2003. Recent shifts in the state of the North Pacific. *Geophysical Research Letters* 30(23): 2183.
- ²⁹ http://www.ncdc.noaa.gov/img/climate/research/teleconnect/el_n_5_pg.gif
- ³⁰ Chavez, F.P., Ryan, J., Lluch-Cota, S.E., and Niquen, M. 2003. From anchovies to sardines and back: multidecadal change in the Pacific Ocean. *Science* 299: 217–221.
- ³¹ Schwing, F.B., T. Murphree, and P.M. Green, 2002. The Northern Oscillation Index (NOI): A new climate index for the northeast Pacific. *Progress in Oceanography* 53: 115–139.
- ³² Source data: <http://www.cpc.noaa.gov/data/teledoc/ep.html>
- ³³ Bond, N.A. and Harrison, D.E. 2000. The Pacific Decadal Oscillation, air-sea interaction and central north Pacific winter atmospheric regimes. *Geophysical Research Letters* 27: 731–734.
- ³⁴ Ting, M., Hoerling, M.P., Xu, T. and Kumar, A. 1996. Northern hemispheric teleconnection patterns during extremes of the zonal mean circulation. *Journal of Climate* 9: 2614–2633.
- ³⁵ Kozuchowski, K.M. 1993. Variations of hemispheric zonal index since 1899 and its relationships with air temperature. *International Journal of Climatology* 13: 853–864.
- ³⁶ Thompson, D.W.J. and Wallace, J.M. 1998. The Arctic Oscillation signature in wintertime geopotential height and temperature fields. *Geophysical Research Letters* 25: 1297–1300.
- ³⁷ Lee, J.H., Ahn, B.W. and Hong, G.H. 2002. Water residence time for the Bohai and Yellow Seas, In G.H. Hong, J.Zhang and C.S. Chung (eds.) *Impact of Interface Exchange on the Biogeochemical of the Yellow and East China Seas*, Bumshin Press, Seoul, pp. 385–401
- ³⁸ Kim, S. and Khang, S.H. 2000. The Yellow Sea in C. Sheppard (ed.) *Seas at The Millenium: an Environmental Evaluation*, Elsevier Science, pp. 487–498.
- ³⁹ Hong, G.H., Chang, J., Kim, S.-H., Chung, C.S., Yang, S.R., Lee, J.H. and Kim, Y.I. 2003. East Asian marginal seas: river-dominated ocean margin. Proceedings of the International Symposium “*Oceanographic Environmental Change after Completion of the Changjiang Three-Gorges Dam*” held on May 15, 2003, Jeju, Korea.
- ⁴⁰ Beardsley, R. C., R. Limeburner, H. Yu and Cannon, G. A. 1985: Discharge of the Changjiang (Yangtze River) into the East China Sea. *Continental Shelf Research* 4: 57–76.
- ⁴¹ Lie, H.-J. and Cho, C.-H. 1994. On the origin of the Tsushima Warm Current. *Journal of Geophysical Research* 99: 25081–25091.
- ⁴² Lie, H.-J. and Cho, C.-H. 2002. Recent advances in understanding the circulation and hydrography of the East China Sea. *Fisheries Oceanography* 11: 318–328.
- ⁴³ Ichikawa, H. and Beardsley, R.C. 2002. The current system in the Yellow and East China seas. *Journal of Oceanography* 58: 77–92.
- ⁴⁴ Hahn, S.D. 1994. SST warming of Korean coastal waters during 1881–1990. *KODC Newsletter* 24: 29–37.
- ⁴⁵ KORDI. 1988. A study on the coastal water and pollution and monitoring. BSPG 00057-184-4, Ansan, Korea.
- ⁴⁶ KORDI. 2001. Report of the Korean Yellow Sea Large Marine Ecosystem Project. 269p.
- ⁴⁷ Kim, S.K. 1999. Environmental fate of PCBs in Incheon North Harbor Ecosystem. MS thesis, Seoul National University, 126 p.
- ⁴⁸ Yoo, S. and Shin, K. 1995. The primary productivity off the coast of Taehahn. *Ocean Research* 17: 91–99.
- ⁴⁹ Noh, J.H. Unpublished data.
- ⁵⁰ Choi J.K., Kang, Y.S. and Noh, J.H. 2003. The distribution of phytoplankton in the Yellow Sea in J.K. Choi (ed.) *Biological Oceanography in Korea*, Dongwha Press, Seoul, pp. 51–67 (in Korean).
- ⁵¹ Choi, J. K., Park, Y.C., Kim, Y.C., Lee, Y.C., Son, S.K., Hwang, H.J., Han, B.S. and Jung, C.S. 1988. The study on the biological productivity of the fishing ground in the western coastal area of Korea, Yellow Sea. *Bulletin of the National Fisheries Research Development Agency* 42: 143–168.
- ⁵² Song. 1999. Monthly Variation of Phytoplankton Community Structure and Pigment in the Kyeonggi Bay, Korea. Master Thesis, Inha University. 106 p.
- ⁵³ Cho. 2002. Recent studies on the microbial ecology of Marine pelagic environments in Korea, In D. Lee, V. Jin, J.C. Choe, Y. Son, S. Yoo, H. Y. Lee, S. K. Hong, and B.S. Ihm (eds.) *Ecology of Korea*, Bumwoo Publishing, pp. 344–355.
- ⁵⁴ Lim, D.H., Yoon, W.D., Cho, S.H. and Lee, Y. 2003. The spatio-temporal distribution of zooplankton in the Yellow Sea In J.K. Choi (ed.) *Biological Oceanography in Korea*, Dongwha Press, Seoul, pp. 159–169 (in Korean).
- ⁵⁵ Proceedings of “International Workshop on Jellyfish Bloom: China, Japan and Korea”, held in Yokohama, Japan, February 24th 2004.
- ⁵⁶ Liu, T.Y. 1963. Preliminary studies on the benthic fauna of the Yellow Sea and East China Sea. *Oceanology and Limnology Sinica* 5: 306–319 (in Chinese).
- ⁵⁷ The Yellow Sea Ecoregion Initiative. 2001. Yellow Sea Ecoregion: Reconnaissance Report on Identification of Important Wetland and Marine Areas for Biodiversity Conservation. Volume 2: South Korea. The Yellow Sea Ecoregion Initiative: a joint project of WWF-Japan, Wetlands & Birds Korea and Wetlands International-China Programme.
- ⁵⁸ Jin, X. 2003. Fishery biodiversity and community structure in the Yellow Sea and Bohai seas. Presented at American Fisheries Society Symposium.
- ⁵⁹ Zhang, C.I. and S. Kim. 1999. Living marine resources of the Yellow Sea ecosystem in Korean waters: status and perspectives. In K. Sherman and Q. Tang (eds.) *Large Marine Ecosystems of the Pacific rim: assessment, sustainability, and management*. Blackwell Science, 465 p.
- ⁶⁰ Jin, X., Xu, B. and Tang Q. 2003. Fish assemblage structure in the East China Sea and southern Yellow Sea during autumn and spring. *Journal of Fish Biology* 62: 1–12.
- ⁶¹ Tang, Q. 2002. Status of China GLOBEC-SPACC. Report of a GLOBEC-SPACC/APN Workshop on the causes and consequences of climate-induced changes in pelagic fish productivity in East Asia (25–27 August 2001, Kobe, Japan). GLOBEC Report No. 15.

- ⁶² Tong, L. and Tang, Q. 2002. The status of small pelagic fish in Chinese waters. Report of a GLOBEC-SPACC/APN Workshop on the causes and consequences of climate-induced changes in pelagic fish productivity in East Asia (25-27 August 2001, Kobe, Japan). GLOBEC Rep. 15.
- ⁶³ Barter, M.A. 2002. Shorebirds of the Yellow Sea: Importance, threats, and conservation status. Wetlands International Global Series 9, International Wader Studies 12, Canberra, Australia.
- ⁶⁴ Kim, J., Park, J., Yi, J., Yoo, B. and Rhee, D. 2002. The migration route and monitoring of the migratory birds in Korea. Report of NIER 24: 153-164.
- ⁶⁵ Chen, C.-T. A. 2000. The Three Gorges Dam: Reducing the upwelling and thus productivity in the East China Sea. *Geophysical Research Letters* 27: 381-383.
- ⁶⁶ Lee, J.H., Ahn, B.W. and Hong, G.H. 2002. Water residence time for the Bohai and Yellow Seas, In G.H. Hong, J. Zhang and C.S. Chung (eds.) *Impact of Interface Exchange on the Biogeochemical of the Yellow and East China Seas*. Bumshin Press, Seoul, pp. 385-401.
- ⁶⁷ Nagata, Y. and Lobanov, V. 1998. Multilingual nomenclature of place and oceanographic names in the region of the Okhotsk Sea. *PICES Scientific Report No. 8*, 57p.
- ⁶⁸ Reprinted from Kim, K., Kim, K.-R., Kim, Y.G., Cho, Y.K., Kang, D.J., Takematsu, M., and Volkov, Y. 2004. Water masses and climate change in the East Sea. *Progress in Oceanography* 61: 157-174, with permission from Elsevier.
- ⁶⁹ Levitus, S., Antonov, J., Boyer, T. and Stephens, C. 2000. Warming of the world ocean. *Science* 287: 2225-2229.
- ⁷⁰ Minobe, S. 1996. Interdecadal variations in the deep water of the Japan/East Sea. *Proceedings of the 4th CREAMS '97 Workshop*, Fairbanks.
- ⁷¹ Ponomarev, V. and Salyuk, A. 1997. Climate regime shifts and heat accumulation in the Sea of Japan. *Proceedings of the CREAMS '97 International Symposium*, Fukuoka.
- ⁷² Watanabe, T., Hanawa, K. and Toba, Y. 1986. Analysis of year-to-year variation of water temperature along the coast of the Japan Sea. *Progress in Oceanography* 17: 337-357.
- ⁷³ Qiu, B. and Miao, Weifeng. 2000. Kuroshio path variations south of Japan: biomodality as a self-sustained internal oscillation. *Journal of Physical Oceanography* 30: 2124-2137.
- ⁷⁴ Riser, S.R. Unpublished data. Figure preparation by S.M. McKinnell.
- ⁷⁵ Ponomarev, V.I., Kapulenenko, D.D. and Ishida, H. 2001. The 20th century climate change in the Asian-Pacific Region. *Proceedings of the CREAMS 2000 International Symposium on Oceanography of the Japan Sea*. M. Danchenkov (ed.) FEHRI, Vladivostok, 307 p.
- ⁷⁶ Gamo, T., Nozaki, Y., Sakai, H., Nakai, T. and Tsubota, H. 1986. Spatial and temporal variations of water characteristics in the Japan Sea bottom layer. *Journal of Marine Research* 44: 781-793.
- ⁷⁷ Riser, S., Warner, M. & Yurasov, G. 1999. Circulation and mixing of water masses of Tartar Strait and the northwestern boundary region of the Japan Sea. *Journal of Oceanography* 55: 133-156.
- ⁷⁸ Talley, L., Lobanov, V., Ponomarev, V., Salyuk, A., Tishchenko, P., Zhabin, I. and Riser, S. 2002. Deep convection and brine rejection in the Japan Sea. *Science*, submitted.
- ⁷⁹ Kim, K.-Y., Kim, G., Kim, K., Lobanov, V., Ponomarev, V. and Salyuk, A. 2002. A sudden bottom water formation during the severe winter of 2000-2001: the case of the East/Japan Sea. *Geophysical Research Letters* 29: 751-754.
- ⁸⁰ Tishchenko P., Talley, L.D., Nedashkovsky, A.P., Sagalaev, S.G. and Zvalinsky, V.I. 2002. Temporal variability of hydrochemical properties of the Japan Sea. *Oceanology* 42: 795-803. (translated from Russian).
- ⁸¹ Watanabe, Y.W., Wakita, M., Maeda, N., Ono, T. and Gamo, T. 2003. Synchronous bidecadal periodic changes of oxygen, phosphate and temperature between the Japan Sea deep water and the North Pacific intermediate water. *Geophysical Research Letters* 30 (24): 2273, doi:10.1029/2003GL018338
- ⁸² Yoo, Sinjae. KORDI, Ansan, Korea.
- ⁸³ Reprinted from Yamada, K., Ishizaka, J., Yoo, S., Kim, H.-C. and Chiba, S. 2004. Seasonal and interannual variability of sea surface chlorophyll a concentration in the Japan / East Sea (JES). *Progress in Oceanography* 61: 193-211, with permission from Elsevier.
- ⁸⁴ Hirota, Y. and Hasegawa, S. 1999. The zooplankton biomass in the Sea of Japan. *Fisheries Oceanography* 8: 274-283.
- ⁸⁵ Iguchi, N. 2004. Spatial/temporal variations in zooplankton biomass and ecological characteristics of major species in the southern part of the Japan Sea: a review. *Progress in Oceanography* 61: 213-225.
- ⁸⁶ Sakurai, Y., Kiyofuji, H., Saitoh, S., Goto, T., and Hiyama, Y. 2000. Changes in inferred spawning waters of *Todarodes pacificus* (Cephalopoda: Ommastrephidae) due to changing environmental conditions. *ICES Journal of Marine Science* 57: 24-30.
- ⁸⁷ Kang, Y.-S., Kim, J.Y., Kim, H.G. and Park, J.H. 2002. Long-term changes in zooplankton and its relationship with squid, *Todarodes pacificus*, catch in Japan/East Sea. *Fisheries Oceanography* 11: 337-346.
- ⁸⁸ Kang, S., Kim, S. and Bae, S.-W. 2000. Changes in ecosystem components induced by climate variability off the eastern coast of the Korean Peninsula during 1960-1990. *Progress in Oceanography* 47: 205-222.
- ⁸⁹ Tsiger, V.V. and Markotsev, V.G. 1998. Review of the stock condition and fishery of masu and pink salmon of the Sea of Japan. *North Pacific Anadromous Fish Commission Bulletin* 1: 340-351.
- ⁹⁰ Fukuwaka, M. and Suzuki, T. 2000. Density-dependence of chum salmon in coastal waters of the Japan Sea. *North Pacific Anadromous Fish Commission Bulletin* 2: 75-81.
- ⁹¹ Otto, R.S. and Jamieson, G.S. 2001. Commercially important crabs, shrimps, and lobsters of the North Pacific Ocean. *PICES Scientific Report No. 19*, 79p.
- ⁹² Kawamura, H., Kudo, S., Miyamoto, M., Nagata, M. & Hirano, K. 2000. Movements, food and predators of juvenile chum salmon (*Oncorhynchus keta*) entering the coastal Sea of Japan off northern Hokkaido in warm and cool years. *North Pacific Anadromous Fish Commission* 2: 33-41.

- ⁹³ Trukhin, A.M. and Mizuno, A.W. 2002. Distribution and abundance of larch seal (*Phoca largha* Pall.) on the coast of Primorye Region (Russia): a literature review and survey report. *Mammal Study* 27: 1-14.
- ⁹⁴ Zhang, C.-I. and Gong, Y. 2004. Effect of ocean climate changes on the Korean stock of Pacific saury. *Journal of Oceanography*, in press.
- ⁹⁵ Taylor, F.J.R. and Trainer, V. 2002. Harmful Algal Blooms in the PICES Region of the North Pacific. *PICES Scientific Report No. 23*, 152p.
- ⁹⁶ Ogi, M., Tachibana, Y. and Yamazaki, K. 2003. Impact of the wintertime NAO on the summertime atmospheric circulation. *Geophysical Research Letters*, 30(13)1704.
- ⁹⁷ Source: Japan Meteorological Agency
- ⁹⁸ Hill, K.L., Weaver, A.J., Freeland, H.J., and Bychkov, A.S. 2003. Evidence of change in the Sea of Okhotsk: implications for the North Pacific. *ATMOSPHERE-OCEAN* 41: 49-63.
- ⁹⁹ Riser, S., Ohshima, K. and Volkov, T. 2003. Water masses and circulation pathways in the Okhotsk Sea. Abstract submitted to 3rd PICES Workshop on Okhotsk Sea and Adjacent Areas, Vladivostok, Russia, 4-6 June 2003.
- ¹⁰⁰ Luchin, V.A., Zhigalov, I.A. and Plotnikov, V.V. 2004. The interannual variability of the water temperature of the Okhotsk Sea. *PICES Scientific Report No. 26*, 257 p.
- ¹⁰¹ Luchin, V.A., Motorkina, T.S. and Matveev, V.I. 1993. Regime of nutrients. In: Hydrology and hydrochemistry of seas. V. 9. The Sea of Okhotsk. Iss. 2. 1993. Saint-Petersburg: Hydrometeoizdat. pp. 56-80 (in Russian).
- ¹⁰² Arzhanova, N.V. and Zubarevich, V.L. 1997. Chemical fundamentals of biological productivity of the Sea of Okhotsk. *Complex investigations of the Sea of Okhotsk Ecosystem*. Moscow: VNIRO. P. 86-92 (in Russian).
- ¹⁰³ Naletova, I.A., Sapozhnikov, V.V. and Metreveli, M.P. 1997. Features of primary production distribution in summer period and estimation of total production in the Sea of Okhotsk. *Complex investigations of the Sea of Okhotsk Ecosystem*. Moscow: VNIRO. pp. 98-103 (in Russian).
- ¹⁰⁴ Mordasova, N.V., Gruzevich, A.K. and Zubarevich, V.L. 1991. On features of hydrochemical conditions of far-eastern seas (winter – summer of 1990). In: *Monitoring of environmental conditions in the regions of marine fisheries in 1989-1990*. Moscow: VNIRO. pp. 79-83 (in Russian).
- ¹⁰⁵ Shuntov, V.P. 2001. *Biological resources of the Far Eastern Seas*. Vladivostok TINRO-center. 580 p. (In Russian)
- ¹⁰⁶ Nezhlin, N.P., Musaeva, E.I. and Dyakonov, V.Yu. 1997. Estimation of plankton stock in the western part of the Bering Sea and the Okhotsk Sea. *Oceanology* 37(3): 408-413. (In Russian)
- ¹⁰⁷ Gorbatenko K.M. 1997. The composition, structure and dynamics of plankton in the Okhotsk Sea (Abstract of master's thesis). Vladivostok. TINRO-center, 24 p. (In Russian)
- ¹⁰⁸ Shuntov, V.P. 1994. New data about the reorganization in the pelagic ecosystem of the Far Eastern Sea. *Vestn. DVO Run*(2): 59-69. (In Russian)
- ¹⁰⁹ Ivanenkov, B.N. and Zemlyanov, I.V. 1985. Oxygen and carbon production at a photosynthesis in the Okhotsk Sea. *Izvestia TINRO* (110): 151-152. (In Russian)
- ¹¹⁰ Nalyotova, I.A., Sapozhnikov, V.V. and Metreveli, M.P. 1997. Specifics of distribution of primary production in summer and estimation of total production in the Okhotsk Sea. *Complex investigation of the Okhotsk Sea ecosystem*. Moscow: VNIRO . pp.98-103. (In Russian)
- ¹¹¹ Shuntov, V.P. and Dulepova, E.P. 1997. Current status, bio- and fish productivity of the Okhotsk Sea's ecosystem. *Complex investigation of the Okhotsk Sea ecosystem*. Moscow: VNIRO: 248-261. (In Russian).
- ¹¹² Shuntov, V.P. and Dulepova, E.P. 1993. Biological balance, contemporary status of bio- and fish productivity of the Sea of Okhotsk ecosystem and elements of its functioning. In: *Hydrology and hydrochemistry of seas*. V. 9. The Sea of Okhotsk. Iss. 2. Saint-Petersburg: Hydrometeoizdat. pp. 81-93 (in Russian).
- ¹¹³ Smirnova, L.I. 1959. Phytoplankton of the Sea of Okhotsk and near-Kurile Islands region. *Trudy IOAN USSR* 30: 3-51 (in Russian).
- ¹¹⁴ Ventsel, M.V. 1997. Phytoplankton of the Sea of Okhotsk in winter and early spring, 1990. *Complex investigations of the Sea of Okhotsk Ecosystem*. Moscow: VNIRO: 206-209 (in Russian).
- ¹¹⁵ Mordasova, N.V. and Metreveli, M.P. 1997. Phytopigments in the Sea of Okhotsk. *Complex investigations of the Sea of Okhotsk Ecosystem*. Moscow: VNIRO pp. 199-205 (in Russian).
- ¹¹⁶ Nishimura, S. 1983. Okhotsk Sea, Japan Sea, East China Sea. In: *Ecosystems of the World. Estuaries and Enclosed Seas* 26: 375-401.
- ¹¹⁷ Ohwada, M. 1957. Diatom communities in the Okhotsk Sea, principally on the west coast of Kamchatka, spring to summer, 1955. *Journal of Oceanographic Society of Japan* 13: 29-34.
- ¹¹⁸ Zenkevich, L.A. 1963. Biology of seas of USSR. Moscow: Academy of Sciences of USSR. 440 pp. (In Russian).
- ¹¹⁹ Volkov, A.F. and Chuchukalo, V.I. 1985. Composition and distribution of mesoplankton in the Sea of Okhotsk (according to TINRO studies in 1949-1982). *Izvestia TINRO* 110: 125-128 (In Russian).
- ¹²⁰ Mikhailov, V.I. 1990. Guidance on the Okhotsk Sea phytoplankton definition. Vladivostok: TINRO. 46 p. (In Russian).
- ¹²¹ Bragina, I. 1999. Geographical and biological characteristics of the net zooplankton in the southwestern part of the Sea of Okhotsk during 1987-1996. *PICES Scientific Report Series No. 12*: 187-199.
- ¹²² Shuntov V.P., Bocharov, L.N., Dulepova E.P. et al. 2003. The monitoring results and ecosystem investigation of the biological resources of the Russian Far East Seas (1998-2002). TINRO-center 132: 3-26. (In Russian)
- ¹²³ Dulepova, E.P. 2002. *Comparative bioproductivity of the Far East Seas' macroecosystems*. Vladivostok TINRO-center. 2002. 273 p. (In Russian)
- ¹²⁴ Shuntov, V.P. and Dulepova, E.P. 1996. Biota of Okhotsk Sea: Structure of communities, the interannual dynamics and current status. *PICES Scientific Report 6*: 263-271.

- ¹²⁵ Seki, J., Gorbatenko, K., Volvenko, I. and Fukuwaka, M. 2003. Distribution of juvenile chum and pink salmon in the Okhotsk Sea in autumn. Abstract submitted to 3rd PICES Workshop on Okhotsk Sea and Adjacent Areas, Vladivostok, Russia, 4-6 June 2003.
- ¹²⁶ Starovoytov, A.N., Temnykh, O.S., Glebov, I.I. and Sviridov, V.V. 2003. Nekton communities of the upper epipelagic layer of the southern Okhotsk Sea – current status and tendencies of long-term dynamics. Abstract submitted to 3rd PICES Workshop on Okhotsk Sea and Adjacent Areas, Vladivostok, Russia, 4-6 June 2003.
- ¹²⁷ Balanov, A.A. and Iljinsky, E.N. 1992. Species composition and biomass of mesopelagic fishes in Okhotsk and Bering seas. *Voprosy Ichthyologii (Journal of Ichthyology)* 32(1): 56-63 (in Russian).
- ¹²⁸ Lapko, V.V. and Radchenko, V.I. 2000. Sea of Okhotsk. In: C. Sheppard (Ed.). *Seas at the Millenium*. Elsevier Science Ltd. pp. 133-142.
- ¹²⁹ Nesis, K.N. 1989. Teuthofauna of the Okhotsk Sea. Biology of squid *Beryteuthis magister*, *Gonatopsis borealis* (Gonatidae). *Zoologicheskyy Zhurnal (Russian Journal of Zoology)* 68(9): 45-56.
- ¹³⁰ Lapko, V.V. 1995. Role of squids in communities of Okhotsk Sea. *Oceanology* 35(5): 737-742 (In Russian).
- ¹³¹ Otto, R.S. and Jamieson, G.S.(eds.). 2001. Commercially important crabs, shrimps and lobsters of the North Pacific Ocean. *PICES Scientific Report* No. 19, Sidney, Canada, 79p.
- ¹³² Neyman A.A. 1965. Quantitative distribution of benthos in West Kamchatka shelf. *Oceanology* 5(6): 1052-1059 (In Russian)
- ¹³³ Koblikov V.N. 1985. Qualitative and quantitative of macrobenthos characteristics in shelf and the top part of a slope of Sakhalin. (Abstract of master's thesis). Moscow. 24 p. (In Russian)
- ¹³⁴ Pavlyuchkov V.A. 1987. Macrozoobenthos in shelf and the top part of a slope in northern part of the Okhotsk Sea. (Abstract of master's thesis). Vladivostok. 21 p. (In Russian)
- ¹³⁵ Nadtochii V.A. 1984. About long-term variability in quantitative distribution of benthos in West Kamchatka shelf. *Izvestia TINRO* 109: 126-129. (In Russian).
- ¹³⁶ Perlov, A.S., Personal Communication.
- ¹³⁷ Burkanov. 1988. Modern status of resources of sea mammals on Kamchatka. Rational use of bioresources of the Kamchatka shelf. - P - Kamchatka, pp. 138-176.
- ¹³⁸ Zadalskiy, S.V. 2002. Status of a population and migrations of eared seals in northern part of sea of Okhotsk. Sea mammals of Golarctica. Abstract. Second International Symposium Baikal, Russia, September, 10-15, 2002, Moscow, pp. 109-111.
- ¹³⁹ Shuntov, V.P. 1999. Some features of up-to-date distribution of whales and dolphins in the Okhotsk Sea. *Oceanology* 39(2): 253-257 (in Russian).
- ¹⁴⁰ Buckland, S.T., Cattanach, K.L. and Miyashita, T. 1992. Minke whale abundance in the Northwest Pacific and the Okhotsk Sea, estimated from 1989 and 1990 sighting surveys. *Report of the International Whaling Commission* 42: 387-392.
- ¹⁴¹ Patin, S. 1999. Environmental Impact of the Offshore Oil and Gas Industry. EcoMonitor Publishing NY.
- ¹⁴² Girs, A.A. 1974. Many-yearly variations of the atmospheric circulation and long-term trends in the change of hydrometeorological condition in the Bering Sea area. In: *Oceanography of the Bering Sea, Proceedings of International Symposium*, pp. 475-482.
- ¹⁴³ Nagata, Y. 1994. Review of recent studies on the Kuroshio. *Proceedings of China-Japan Joint Symposium of the Cooperative Research on the Kuroshio*: 8-17.
- ¹⁴⁴ PICES Scientific Report No. 2. 1995. The Okhotsk Sea and Oyashio Region (Report of Working Group 1) Edited by Lynne D. Talley and Yutaka Nagata: pp. 1-57.
- ¹⁴⁵ Kawabe, M., 1995. Variations of current path, velocity, and volume transport of the Kuroshio in relation with the large meander. *Journal of Physical Oceanography* 25: 3103-3117.
- ¹⁴⁶ Akitomo, K, Masuda, S. and Awaji, T. 1997. Kuroshio path variation south of Japan: Stability of the paths in a multiple equilibrium regime. *Journal of Oceanography* 53: 129-142.
- ¹⁴⁷ Masuda, S. and Akitomo, K. 2000. Effects of stratification and bottom topography on the Kuroshio path variation south of Japan. Part II: Path transitions in a multiple equilibrium regime. *Journal of Physical Oceanography* 30: 1431-1448.
- ¹⁴⁸ Analyzed by Japan Meteorological Agency.
- ¹⁴⁹ Analyzed by the Ocean Research Institute, University of Tokyo.
- ¹⁵⁰ Kaneko, I, Okada, R. and Imai, Y. 2003. Interannual variation and recent rise of sea-level around the Nansei-shoto Islands and Kyoshu. *Umi to Sora* 79: 9-19. (in Japanese with English abstract and captions).
- ¹⁵¹ Yasuda, T. and Hanawa, K. 1997. Decadal changes in the mode waters in the midlatitude North Pacific. *Journal of Physical Oceanography* 27: 858-870.
- ¹⁵² Deser, C., Alexander, M.A. and Timlin, M.S. 1999. Evidence for a wind-driven intensification of the Kuroshio Current extension from the 1970s to the 1980s. *Journal of Climate* 12: 1697-1706.
- ¹⁵³ Imawaki, S., Uchida, H., Ichikawa, H., Fukasawa, M., Umatani, S. and the ASUKA Group. 2001. *Geophysical Research Letters* 28: 17-20.
- ¹⁵⁴ Kamachi, M., Kuragano, T., Yoshioka, N., Zhu, J. and Uboldi, F. 2001. Assimilation of satellite altimetry into a western North Pacific operational model. *Advances in Atmospheric Sciences* 18: 767-786.
- ¹⁵⁵ Yoshida, T. 1992. Climatological seasonal variations of the distribution of Oyashio cold water. *Umi To Sora* 68: 79-88. (in Japanese with English abstract and captions)
- ¹⁵⁶ Yasunaka, S. and Hanawa, K. 2002. Regime shifts found in the Northern Hemisphere SST field. *Journal of the Meteorological Society of Japan* 80: 119-135.
- ¹⁵⁷ Sekine, Y. 1988. Anomalous southward intrusion of the Oyashio east of Japan 1. Influence of the seasonal and interannual variations in the wind stress over the North Pacific. *Journal of Geophysical Research* 93: 2247-2255.

- ¹⁵⁸ Sekine, Y. 1999. Anomalous southward intrusion of the Oyashio east of Japan 2. Two-layer numerical model. *Journal of Geophysical Research* 104: 3049-3058.
- ¹⁵⁹ Watanabe, Y., Zenitani, H. and Kimura, R. 1995. Population decline of the Japanese sardine *Sardinops melanostictus* owing to recruitment failures. *Canadian Journal of Fisheries and Aquatic Science* 52: 1609-1616.
- ¹⁶⁰ Nakata, K. 1990. Abundance of nauplii and protein synthesis activity of adult female copepods in the Kuroshio front during the Japanese sardine spawning season. *Journal of the Oceanographic Society of Japan* 46: 219-229.
- ¹⁶¹ Imai, M., Ebara, S., Kowashima, K., Kubo, N., Sato, N. and Moriyama, E. 1988. Seasonal variation of chlorophyll-a in the seas around Japan. *Oceanography Magazine* 38(1/2): 23-32.
- ¹⁶² Shiimoto, unpublished data.
- ¹⁶³ Nakata, H., Funakoshi, S. and Nakamura, M. 2000. Alternating dominance of postlarval sardine and anchovy caught by coastal fishery in relation to the Kuroshio meander in the Enshu-nada Sea. *Fisheries Oceanography* 9: 248-258.
- ¹⁶⁴ Kimura, S., Kasai, A., Nakata, H., Sugimoto, T., Simpson, J.H. and Cheok, J.V.S. 1997. Biological productivity of meso-scale eddies caused by frontal disturbances in the Kuroshio. *ICES Journal of Marine Science* 54:179-192.
- ¹⁶⁵ Okazaki, Y., Nakata, H., Kimura, S. and Kasai, A. 2003. Offshore entrainment of anchovy larvae and its implication for their survival in a frontal region of the Kuroshio. *Marine Ecology Progress Series* 248: 237-244.
- ¹⁶⁶ Nakata, K. and Hidaka, K. 2003. Decadal scale variability in the Kuroshio marine ecosystem in winter. *Fisheries Oceanography* 12: 234-244.
- ¹⁶⁷ K. Nakata, unpublished data.
- ¹⁶⁸ Kasai, H., Saito, H., Kashiwai, M., Taneda, T., Kusaka, A., Kawasaki, Y., Kono, T., Taguchi, S. and Tsuda, A. 2001. Seasonal and interannual variations in nutrients and plankton in the Oyashio region: A summary of a 10-years observation along the A-line. *Bulletin of Hokkaido National Fisheries Research Institute* 65: 55-.
- ¹⁶⁹ Kobari, T., Shinada, A. and Tsuda, A. 2003. Functional roles of interzonal migrating mesozooplankton in the western subarctic Pacific. *Progress in Oceanography* 57: 279-298.
- ¹⁷⁰ Odate, K. 1994. Zooplankton biomass and its long-term variation in the western North Pacific Ocean, Tohoku sea area, Japan. *Bulletin of Tohoku National Fisheries Research Institute* 56: 115-173.
- ¹⁷¹ Sugimoto, T. and Tadokoro, K. 1998. Interdecadal variations of plankton biomass and physical environment in the North Pacific. *Fisheries Oceanography* 7: 289-299.
- ¹⁷² Tadokoro, K., Chiba, S., Ono, T., Midorikawa, T. and Saino, T. Interannual variations of *Neocalanus* copepods biomass in the Oyashio water, western Subarctic North Pacific. *Fisheries Oceanography*, Submitted.
- ¹⁷³ Ono, T., Tadokoro, K., Midorikawa, T., Nishioka, J. and Saino, T. 2002. Multi-decadal decrease of net community production in western Subarctic North Pacific. *Geophysical Research Letters* 29: 27-1-27-4.
- ¹⁷⁴ Hidaka, K., Kawaguchi, K., Tanabe, T., Takahashi, M. and Kubodera, T. 2003. Biomass and taxonomic composition of micronekton in the western tropical-subtropical Pacific. *Fisheries Oceanography* 12: 112-125.
- ¹⁷⁵ Sassa, C., Kawaguchi, K., Kinoshita, T. and Watanabe, C. 2002. Assemblages of vertical migratory mesopelagic fish in the transitional region of the western North Pacific. *Fisheries Oceanography* 11: 193-204.
- ¹⁷⁶ Watanabe, H., Moku, M., Kawaguchi, K., Ishimaru, K. and Ohno, A. 1999. Diel vertical migration of myctophid fishes (family Myctophidae) in the transitional waters of the western North Pacific. *Fisheries Oceanography* 8: 115-127.
- ¹⁷⁷ Sassa, C., Moser, H.G. and Kawaguchi, K. 2002. Horizontal and vertical distribution patterns of larval myctophid fishes in the Kuroshio Current region. *Fisheries Oceanography* 11: 1-10.
- ¹⁷⁸ Moku, M., Kawaguchi, K., Watanabe, H. and Ohno, A. 2000. Feeding habits of three dominant myctophid fishes, *Diaphus theta*, *Stenobrachius leucopsarus* and *S. nannochir*, in the Subarctic and transitional waters of the western North Pacific. *Marine Ecology Progress Series* 207: 129-140.
- ¹⁷⁹ Watanabe, H., Kawaguchi, K. and Hayashi, A. 2002. Feeding habits of juvenile surface-migratory myctophid fishes (family Myctophidae) in the Kuroshio region of the western North Pacific. *Marine Ecology Progress Series* 236: 263-272.
- ¹⁸⁰ Uchikawa, K., Yamamura, O., Kitagawa, D. and Sakurai, Y. 2002. Diet of the mesopelagic fish *Notoscopelus japonicus* (family: Myctophidae) associated with the continental slope off the Pacific coast of Honshu, Japan. *Fisheries Science* 68: 1034-1040.
- ¹⁸¹ Watanabe, H. and Kawaguchi, K. 2003. Decadal change in the diets of the surface migratory myctophid fish *Myctophum nitidulum* in the Kuroshio region of the western North Pacific: Predation on sardine larvae by myctophids. *Fisheries Science* (in press).
- ¹⁸² Moku, M., Tsuda, A. and Kawaguchi, K. 2003. Spawning season and migration of the myctophid fish *Diaphus theta* in the western North Pacific. *Ichthyological Research* 50: 52-58.
- ¹⁸³ Hayashi, A., Kawaguchi, K., Watanabe, H. and Ishida, M. 2001. Daily growth increment formation and its lunar periodicity in otoliths of the myctophid fish *Myctophum asperum* (Pisces: Myctophidae). *Fisheries Science* 67: 811-817.
- ¹⁸⁴ Hayashi, A., Watanabe, H., Ishida, M. and Kawaguchi, K. 2001. Growth of *Myctophum asperum* (Pisces: Myctophidae) in the Kuroshio and transitional waters. *Fisheries Science* 67: 983-984.
- ¹⁸⁵ Moku, M., Ishimaru, K. and Kawaguchi, K. 2001. Growth of larval and juvenile *Diaphus theta* (Pisces: Myctophidae) in the transitional waters of the western North Pacific. *Ichthyological Research* 48: 385-390.
- ¹⁸⁶ Watanabe, H. and Kawaguchi, K. 2003. Decadal change in abundance of surface migratory myctophid fishes in the Kuroshio region from 1957 to 1994. *Fisheries Oceanography* 12: 100-111.
- ¹⁸⁷ Kawasaki T. and Omori, M. 1995. The impacts of climate change on Japanese fisheries. pp. 523-528. In R.J. Beamish (ed) Climate change and northern fish populations. *Canadian Special Publication of Fisheries and Aquatic Science* 121.

- ¹⁸⁸ Wada, T. 1997. Review of the small pelagic resources and their fisheries in Japan. pp. 227-243 in M. Devaraj and P. Martosuborto (eds.) Small pelagic resources and their fisheries in the Asia-Pacific region. *Proceedings of First Session APFIC Working Party on Marine Fisheries*, Bangkok, 13-16 May 1997.
- ¹⁸⁹ FAJ (Fisheries Agency of Japan) 2002. Fishery stock assessment report in the Japanese waters for fiscal year 2001/2002 (Digest version). Fisheries Agency of Japan, 175pp. (In Japanese).
- ¹⁹⁰ Noto, M. and Yasuda, I. 1999. Population decline of the Japanese sardine, *Sardinops melanostictus*, in relation to sea surface temperature in the Kuroshio Extension. *Canadian Journal of Fisheries and Aquatic Science* 56: 973-983.
- ¹⁹¹ Noto, M. and Yasuda, I. 2003. Empirical biomass model for the Japanese sardine, *Sardinops melanostictus*, with surface temperature in the Kuroshio Extension. *Fisheries Oceanography* 12: 1-9.
- ¹⁹² Yatsu, A., Watanabe, T., Ishida, M., Sugisaki, H. and Jacobson, L.D. 2003. DRAFT: Reproductive success variability of the Pacific stocks of Japanese sardine, *Sardinops melanostictus*, and chub mackerel, *Scomber japonicus*: Possible processes and management strategy. *GLOBEC Special Contribution* 6: 109-126.
- ¹⁹³ Kasamatsu, F. and Hata, T. 1985. Notes on minke whales in the Okhotsk Sea -West Pacific area. *Report of the International Whaling Commission* 35: 299-304.
- ¹⁹⁴ Kasamatsu, F. and Tanaka, S. 1992. Annual changes in prey species of minke whales taken off Japan 1948-87. *Nippon Suisan Gakkaishi* 58: 637-651.
- ¹⁹⁵ Tamura, T. and Fujise, Y. 2002. Geographical and seasonal changes of prey species of minke whale in the Northwestern Pacific. *ICES Journal of Marine Science* 59: 516-528
- ¹⁹⁶ Beamish, R.J., Kim, S., Terazaki, M. and Wooster, W. S. (Eds) 1999. Ecosystem dynamics in the Eastern and Western Gyres of the Subarctic Pacific. *Progress in Oceanography* 43: 157-487.
- ¹⁹⁷ Aydin, K.Y., McFarlane, G.A., King, J.R. and Megrey, B.A. 2003. PICES-GLOBEC International Program on Climate Changes and Carrying Capacity. The BASS/MODEL Report on Trophic Models of the Subarctic Pacific Basin Ecosystems. *PICES Scientific Report* 25, 93p.
- ¹⁹⁸ Michida, Y., Yoritaka, H. and Suzuki, T. 2001. Surface current field in the subpolar gyre of the North Pacific Ocean observed with surface drifters. *Proceedings of the 16th Symposium on Okhotsk Sea & Sea Ice*: 213-218.
- ¹⁹⁹ Michida, Y., Yoritaka, H. and Suzuki, T. 2003. Seasonal change of the surface circulation in the Alaskan gyre observed with surface drifters. *Proceedings of the 18th Symposium on Okhotsk Sea & Sea Ice*: 90-95.
- ²⁰⁰ Nagata, Y., Ohtani, K. and Kashiwai, M. (1992): Subarctic Gyre in the North Pacific Ocean. *Umi no Kenkyu* 1: 75-104. (in Japanese with English abstract)
- ²⁰¹ Ohtani, K. 1991. To confirm again the characteristics of the Oyashio. *Bulletin of Hokkaido National Fisheries Research Institute* 55: 1-24. (in Japanese with English abstract).
- ²⁰² Fukusawa, personal communication.
- ²⁰³ Lysne, J., Chang, P. and Giese, B. 1997. Impact of the extratropical Pacific on equatorial variability. *Geophysical Research Letters* 24: 2589-2592.
- ²⁰⁴ Schneider, N., Miller, A.J., Alexander, M.A. and Deser, C. 1999. Subduction of decadal North Pacific temperature anomalies: Observations and dynamics. *Journal of Physical Oceanography* 29: 1056-1070.
- ²⁰⁵ Zhang, R.H. and Levitus, S. 1997. Structure and cycle of decadal variability of upper-ocean temperature in the North Pacific. *Journal of Climate* 10: 710-727.
- ²⁰⁶ Miller, A. J., Cayan, D.R. and White, W.B. 1998. A westward-intensified decadal change in the North Pacific thermocline and gyre-scale circulation. *Journal of Climate* 11: 3112-3127.
- ²⁰⁷ Deser, C., Alexander, M.A. and Timlin, M.S. 1999. Evidence for a wind-driven intensification of the Kuroshio Current extension from the 1970s to the 1980s. *Journal of Climate* 12: 1697-1706.
- ²⁰⁸ Zhang, Y., Wallace, J.M. and Battisti, D.S. 1997. ENSO-like interdecadal variability: 1900-93. *Journal of Climate* 10: 1004-1020.
- ²⁰⁹ Banse, K. and English, D.C. 1999. Comparing phytoplankton seasonality in the eastern and western subarctic Pacific and the western Bering Sea. *Progress in Oceanography* 43: 235-288.
- ²¹⁰ Odate, T. 1996. Abundance and size composition of the summer phytoplankton communities in the western North Pacific Ocean, the Bering Sea, and the Gulf of Alaska. *Journal of Oceanography* 52: 335-351.
- ²¹¹ Shiimoto, A., Nanba, M., Nagasawa, K. and Ueno, Y. 1999. East-west distributions of chlorophyll a, primary productivity and their size compositions in the early winter subarctic North Pacific. *La mer* 37: 69-79.
- ²¹² Sugimoto, T. and Tadokoro, K. 1997. Interannual-interdecadal variations in zooplankton biomass, chlorophyll concentration and physical environment in the subarctic Pacific and Bering Sea. *Fisheries Oceanography* 6: 74-93.
- ²¹³ Mackas, D. L. and Tsuda, A. 1999. Mesozooplankton in the eastern and western subarctic Pacific: community structure, seasonal life histories, and interannual variability. *Progress in Oceanography* 43: 335-363.
- ²¹⁴ Groot, C. and Margolis, L. (ed.). 1991. *Pacific salmon life histories*. UBC Press, Vancouver, BC, Canada.
- ²¹⁵ Geiger, H.J., Perry, T., Fukuwaka, M. and Radchenko, V. (eds.) 2002. Status of salmon stocks and fisheries in the North Pacific Ocean. *North Pacific Anadromous Fish Commission Technical Report* 4: 6-7.
- ²¹⁶ Ishida, Y., Azumaya, T. and Fukuwaka, M. 1999. Summer distribution of fishes and squids caught by surface gillnets in the western North Pacific Ocean. *Bulletin of the Hokkaido National Fisheries Research Institute* 63: 1-18.
- ²¹⁷ Ogi, H. 1984 Feeding ecology of the sooty sheawater in the western subarctic North Pacific Ocean. In Marine birds: their feeding ecology and commercial fisheries interactions (Nettleship, D.N., Sanger, G.A. and Springer, P.F. (eds), pp 78-84, Special Publication of Canadian Wildlife Service, Ottawa.

- ²¹⁸ Shiomi, K. and Ogi, H. 1992. Feeding ecology and body size dependence on the diet of the sooty sheawater, *Puffinus griseus*, in the North Pacific. *Proceedings of NIPR Symposium, Polar Biology* 5: 105-113.
- ²¹⁹ Stabeno, P.J., Schumacher, J.D. and Ohtani, K. 1999. The physical oceanography of the Bering Sea, p. 1-28. In T.R. Loughlin and K. Ohtani (eds) *Dynamics of the Bering Sea*. University of Alaska Sea Grant, AK-SG-99-03. Fairbanks.
- ²²⁰ Khen, G. 2002. Hydrological conditions in the Sea of Okhotsk in the late 1990s by data on standard sections. *Izvestiya TINRO* 130: 52-58 (in Russian).
- ²²¹ Hunt, G.L. Jr. 2002. Ecosystems studies of sub-Arctic seas: results of a workshop held in Laguna Beach, California, 4-6 September 2002. Available from G. Hunt glhunt@uci.edu
- ²²² Loughlin, T.R., Sukhanova, I.N., Sinclair, E.H. and Ferrero, R.C. 1999. Summary of biology and ecosystem dynamics in the Bering Sea, p. 387-407. In T.R. Loughlin and K. Ohtani (eds) *Dynamics of the Bering Sea*. University of Alaska Sea Grant, AK-SG-99-03. Fairbanks.
- ²²³ Springer, A.M., McRoy, C.P. and Flint, M.V. 1996. The Bering Sea green belt: shelf-edge processes and ecosystem production. *Fisheries Oceanography* 5: 205-223.
- ²²⁴ Khen, G.V. 1997. Main features of the long-term changes in the ice cover of the Bering and Okhotsk Seas. In: *Complex investigations of the Okhotsk Sea ecosystem*, VNIRO, Moscow, p. 64-67 (in Russian).
- ²²⁵ Stabeno, P. and Hunt, G.L.Jr. 2002. Overview of the Inner Front and Southeast Bering Sea Carrying Capacity Programs. *Deep Sea Research II* 49 (26):6157-6168.
- ²²⁶ Reprinted from Hunt, G.L. Jr., Stabeno, P., Walters, G., Sinclair, E., Brodeur, R.D., Napp, J.M. and Bond, N.A. 2002. Climate change and control of the southeastern Bering Sea pelagic ecosystem. *Deep Sea Research II* 49: 5821-5853, with permission from Elsevier.
- ²²⁷ Shuntov, V.P. 2001. *Biology of the far-eastern seas of Russia*. Vladivostok: TINRO Center. Vol. 1. 580p. (In Russian).
- ²²⁸ Brodeur, R.D., Sugisaki, H. and Hunt, G.L.Jr. 2002. Increases in jellyfish biomass in the Bering Sea: implications for the ecosystem. *Marine Ecology Progress Series* 233: 89-103.
- ²²⁹ National Research Council (NRC) 1996. *The Bering Sea Ecosystem*. National Academy of Sciences, National Academy Press, Washington, D.C. 307p.
- ²³⁰ North Pacific Fishery Management Council. 2002. Appendix A. Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Bering Sea/Aleutian Islands Regions. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501.
- ²³¹ Stevens, B.G., MacIntosh, R.A., Haaga, J.A., Armistead, C.E. and Otto, R.S. 2002. Report to Industry on the 2002 Eastern Bering Sea Crab Survey. Alaska Fisheries Science Center Processed Report 2002-05. 59p. Alaska Fisheries Science Center, Kodiak Fisheries Research Center, 301 Research Court, Kodiak, AK 99615-7400.
- ²³² North Pacific Fishery Management Council. 2002. Appendix C. Ecosystem Considerations for 2003. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501.
- ²³³ Radchenko, V.I., Khen, G.V. and Slabinski, A.M. 2001. Cooling in the western Bering Sea in 1999: quick propagation of La Nina signal or compensatory processes effect. *Progress in Oceanography* 49: 407-422.
- ²³⁴ Vinnikov, A.V. 1996. Pacific cod (*Gadus macrocephalus*) of the western Bering Sea. In: Mathisen, O.A. and K.O. Coyle (eds). *Ecology of the Bering Sea: A review of Russian literature*. Alaska Sea Grant Program Report No. 96-01, pp. 183-202.
- ²³⁵ Chigirinsky, A.I. 1994. Commercial fishing of Pacific salmon in the Bering Sea. *Izvestia TINRO* 116: 142-151 (in Russian).
- ²³⁶ National Marine Mammal Laboratory. 2002. Marine Mammals. In: Livingston, P.A. (ed) *Ecosystem Considerations for 2003*. <http://www.afsc.noaa.gov/refm/docs/2002/ecochap.pdf>.
- ²³⁷ Tynan, C.T., DeMaster, D.P. and Peterson, W.T. 2001. Endangered right whales on the southeastern Bering Sea shelf. *Science* 294: 1894.
- ²³⁸ Schumacher, J.D., Bond, N.A., Brodeur, R.D., Livingston, P.A., Napp, J.M. and Stabeno, P.J. Climate change in the southeastern Bering Sea and some consequences for biota. In: Hempel and Sherman (eds) *Large Marine Ecosystems of the World – trends in exploitation, protection and research*.
- ²³⁹ Witherell, D., Pautzke, C. and Fluharty, D. 2000. Ecosystem-based approach for Alaska groundfish fisheries. *ICES Journal of Marine Science* 57: 771-777.
- ²⁴⁰ Weingartner, T. J., Coyle, K., Finney, B., Hopcroft, R., Whitley, T., Brodeur, R., Dagg, M., Farley, E., Haidvogel, D., Halderson, L., Hermann, A., Hincley, S., Napp, J., Stabeno, P., Kline, T., Lee, C., Lessard, E., Royer, T., and Strom, S. 2002. The Northeast Pacific GLOBEC Program: Coastal Gulf of Alaska. *Oceanography* 15: 48-63.
- ²⁴¹ Reed, R. K. and Schumacher, J.D. 1986. Physical Oceanography. Pages 57-75 in D. W. Hood and S. T. Zimmerman, editors. *The Gulf of Alaska: Physical environment and biological resources*. Minerals Management Service, Springfield, VA.
- ²⁴² Parrish, R. H., Schwing, F.B. and Mendelsohn, R. 2000. Mid-latitude wind stress: the energy source for climatic shifts in the North Pacific Ocean. *Fisheries Oceanography* 9:224-238
- ²⁴³ Wilson, J. G. and Overland, J.E. 1986. Meteorology. Pages 31-54 in D. W. Hood and S. T. Zimmerman, editors. *The Gulf of Alaska: Physical environment and biological resources*. Minerals Management Service, Springfield, VA.
- ²⁴⁴ Royer, T. C. 1982. Coastal fresh water discharge in the northeast Pacific. *Journal of Geophysical Research* 87:2017-2021.
- ²⁴⁵ Data source: COADS/NCEP
- ²⁴⁶ <http://www.elnino.noaa.gov/>
- ²⁴⁷ <http://www.cdc.noaa.gov/cdc/>

- ²⁴⁸ Ingraham, W. J., Ebbesmeyer, C.C. and Hinrichsen, R.A. 1998. Imminent climate and circulation shift in Northeast Pacific Ocean could have major impact on marine resources. *EOS, Transactions of the American Geophysical Union* 79:197-201.
- ²⁴⁹ Tom Royer, Center for Coastal Physical Oceanography, Old Dominion University, Norfolk, VA, personal communication
- ²⁵⁰ Tom Weingartner, Institute of Marine Science, University of Alaska Fairbanks, personal communication
- ²⁵¹ Childers, A.R. and Whitledge, T.E. manuscript in preparation
- ²⁵² Polovina, J.J., Mitchum, G.T. and Evans, G.T. 1995. Decadal and basin-scale variation in mixed layer depth and the impact on biological production in the Central and North Pacific, 1960-88. *Deep Sea Research* 42:1701-1716.
- ²⁵³ Freeland, H.J., Denman, K., Wong, C.S., Whitney, F. and Jacques, R. 1997. Evidence of change in the winter mixed layer in the Northeast Pacific Ocean. *Deep Sea Research* 44, 2117-2129.
- ²⁵⁴ Whitney, F. A. 2002. State of the eastern North Pacific in spring 2002. Newsletter *PICES Press* 10(2): 12-13.
- ²⁵⁵ Sarkar, N., Royer, T.C. and Grosch, C.E. 2002. Hydrographic variability on decadal and interdecadal scales in the northern Gulf of Alaska, Submitted to *Journal of Geophysical Research*
- ²⁵⁶ Harrison, P.J. 2002. Station Papa Time Series: Insights into Ecosystem Dynamics. *Journal of Oceanography* 58: 259-264.
- ²⁵⁷ Wong, C. S., Waser, N.A.D., Nojiri, Y., Johnson, W.K., Whitney, F.A., Page, J.S.C. and Zeng, J. 2002. Seasonal and interannual variability in the distribution of surface nutrients and dissolved inorganic carbon in the Northern North Pacific: Influence of El Niño. *Journal of Oceanography* 58:227-243.
- ²⁵⁸ Sambrotto, R. N., and Lorenzen, C.J. 1986. Phytoplankton and primary production. pp. 249-282 in D. W. Hood and S. T. Zimmerman, editors. *The Gulf of Alaska: Physical environment and biological resources*. Minerals Management Service, Springfield, VA.
- ²⁵⁹ Whitledge, T.E., Thornton, S.J., Childers, A.R., Musgrave, D. and Stacewich, H. 2003. Seasonal cycles of nitrate concentrations on the Gulf of Alaska shelf from the GAK4 mooring (Poster presentation). in. *Marine Science in the Northeast Pacific: Science for resource dependent communities*.
- ²⁶⁰ Kachel, N. B., Bond, N.A., Napp, J.A., Mordy, C.W., Salo, S.A., Stabeno, P.J. and Wisegarver, D.P. 2003. Nutrient supply to the GOA shelf in summer: the role of troughs and shallow banks (Poster presentation). in *Marine Science in the Northeast Pacific: Science for resource dependent communities*, Anchorage, Alaska.
- ²⁶¹ Okkonen, S.R., Jacobs, G.A., Metzger, J.E., Hurlburt, H.E. and Shriver, J.F. 2001. Mesoscale variability in the boundary currents of the Alaska Gyre. *Continental Shelf Research* 21: 1219-1236.
- ²⁶² Crawford, W. R. and Whitney, F.A. 1999. Mesoscale eddy as well with data in Gulf of Alaska. *EOS, Transactions of the American Geophysical Union* 80: 365:370.
- ²⁶³ Whitney, F. A. and Welch, D.W. 2002. Impact of the 1997-1998 El Niño and 1999 La Niña on nutrient supply in the Gulf of Alaska. *Progress in Oceanography* 54: 405-421.
- ²⁶⁴ Harrison, P. J., Boyd, P.W., Varela, D.E., Takeda, S., Shiimoto, A. and Odate, T. 1999. Comparison of factors controlling phytoplankton productivity in the NE and NW subarctic Pacific gyres. *Progress in Oceanography* 43: 205-234.
- ²⁶⁵ Strom, S.L., Brainard, M.A., Holmes, J.L. and Olson, M.B. 2001. Phytoplankton blooms are strongly impacted by microzooplankton grazing in coastal North Pacific waters. *Marine Biology* 138: 355-368.
- ²⁶⁶ Cooney, R.T. 1986. The seasonal occurrence of *Neocalanus cristatus*, *Neocalanus plumchrus*, and *Eucalanus bungii*, over the shelf of the northern Gulf of Alaska. *Continental Shelf Research* 5: 541-553.
- ²⁶⁷ DFO 2001. 2000 Pacific Region State of the Ocean Report. 2001-01, 45pp.
- ²⁶⁸ Brickley, P. and Thomas, A. 2003. Satellite-measured seasonal and inter-annual chlorophyll variability in the Northeast Pacific and coastal Gulf of Alaska. *Deep Sea Research Part II: Topical Studies in Oceanography*, in press.
- ²⁶⁹ Peter Brickley, University of Maine, Orono, Maine, personal communication.
- ²⁷⁰ Wong, C., Whitney, F., Iseki, K., Page, J. and Zeng, J. 1995. Analysis of trends in primary productivity and chlorophyll-a over two decades at Ocean Station P (50°N, 145°W) in the subarctic Northeast Pacific Ocean, pp. 107-117 in R. J. Beamish [Ed.] *Climate change and northern fish populations. Canadian Special Publication of Fisheries and Aquatic Sciences* 121.
- ²⁷¹ Sonia Batten. Sir Alastair Hardy Foundation for Ocean Science, personal communication.
- ²⁷² Mackas, D.L., Peterson, W.T. and Zamon, J.E. 2005. Comparisons of interannual biomass anomalies of zooplankton communities along the continental margins of British Columbia and Oregon. *Deep Sea Research Part II: Topical Studies in Oceanography*, in press.
- ²⁷³ Mackas, D.L., Goldblatt, R. and Lewis, A.G. 1998. Interdecadal variation in developmental timing of *Neocalanus plumchrus* populations at Ocean Station P in the subarctic North Pacific. *Canadian Journal of Fisheries and Aquatic Sciences* 55: 1878-1893.
- ²⁷⁴ Batten, S.D. and Welch, D.W. 2003. Changes in oceanic zooplankton populations in the North-east Pacific associated with the possible climatic regime shift of 1998/1999. *Fisheries Oceanography*, in press.
- ²⁷⁵ NPFMC. 2002. Stock assessment and fishery evaluation report for the groundfish resources of the Gulf of Alaska. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501.
- ²⁷⁶ Alaska Department of Fish and Game Catch Statistics.
- ²⁷⁷ Hare, S. R. and Francis, R.C. 1995. Climate change and salmon production in the Northeast Pacific Ocean. Pages 357-372 in R. J. Beamish, editor. *Climate change and northern fish populations. Canadian Special Publication of Fisheries and Aquatic Sciences* 121. National Research Council of Canada, Ottawa.

- ²⁷⁸ Ebbesmeyer, C. C., Cayan, D.R., McLain, D.R., Nichols, F.H., Peterson, D.H. and Redmond, K.T. 1991. 1976 step in the Pacific climate: Forty environmental changes between 1968-1975 and 1977-1984. pp. 120-141 in J. L. Betancourt and V. L. Sharp, editors. *Proceedings 7th Annual Pacific Climate (PACLIM) Workshop, April 1990*. Department of Water Resources, Sacramento, California.
- ²⁷⁹ Springer, A. M., Piatt, J.F., Shuntov, V.P., Vliet, G.B.V., Vladimirov, V.L., Kuzin, A.E. and Perlov, A.S. 1999. Marine birds and mammals of the Pacific Subarctic Gyres. *Progress in Oceanography* 43: 443-487.
- ²⁸⁰ Benson, A. J. and Trites, A.W. 2002. Ecological effects of regime shifts in the Bering Sea and eastern North Pacific Ocean. *Fish and Fisheries* 3: 95-113.
- ²⁸¹ Mecklenburg, C. W., Mecklenburg, T.A. and Thorsteinson, L.K. 2002. *Fishes of Alaska*. American Fisheries Society, Bethesda, Maryland.
- ²⁸² Brodeur, R.D., McKinnell, S.M., Nagasawa, K., Pearcy, W.G., Radchenko, V. and Takagi, S. 1999. Epipelagic nekton of the North Pacific Subarctic and Transition Zones. *Progress in Oceanography* 43: 365-397.
- ²⁸³ Pearcy, W.G., Fisher, J.P., Anma, G. and Meguro, T. 1996. Species associations of epipelagic nekton of the North Pacific Ocean, 1978-1993. *Fisheries Oceanography* 5: 1-20.
- ²⁸⁴ Anderson, P.J. and Piatt, J.F. 1999. Community reorganization in the Gulf of Alaska following ocean climate regime shift. *Marine Ecology Progress Series* 189: 117-123.
- ²⁸⁵ Mueter, F.-J., Peterman, R.M. and Pyper, B.J. 2002. Opposite effects of ocean temperature on survival rates of 120 stocks of Pacific salmon (*Oncorhynchus* spp.) in northern and southern areas. *Canadian Journal of Fisheries and Aquatic Sciences* 59: 456-463.
- ²⁸⁶ Brodeur, R. D. and Ware, D.M. 1995. Interdecadal variability in distribution and catch rates of epipelagic nekton in the Northeast Pacific Ocean. pp. 329-356 in R. J. Beamish [Ed.] *Climate change and northern fish populations. Canadian Special Publication of Fisheries and Aquatic Sciences* 121. National Research Council of Canada, Ottawa.
- ²⁸⁷ Marty, G.D., Freiberg, E.F., Meyers, T.R., Wilcock, J., Farver, T.B., and Hinton, D.E. 1998. Viral hemorrhagic septicemia virus, *Ichthyophonus hoferi*, and other causes of morbidity in Pacific herring (*Clupea pallasii*) in Prince William Sound, Alaska, USA. *Diseases of Aquatic Organisms* 32:15-40.
- ²⁸⁸ Quinn, T.J.II, Marty, G.D., Wilcock, J. and Willette, M. 2001. Disease and population assessment of Pacific herring in Prince William Sound, Alaska. In *Herring: Expectations for a new millennium*. Edited by F. Funk, J. Blackburn, D. Hay, A.J. Paul, R. Stephenson, R. Toresen and D. Witherell. University of Alaska Sea Grant, AK-SG-01-04, Fairbanks. pp. 363-379.
- ²⁸⁹ Source: Alaska Department of Fish and Game: <http://www.cf.adfg.state.ak.us>
- ²⁹⁰ Data source: <http://www.cf.adfg.state.ak.us/geninfo/shellfish>
- ²⁹¹ Anderson, P.J. 2002. GOA Small-mesh Survey Update for 2002. in P. A. Livingston, editor. *Ecosystem Considerations for 2003, Stock assessment and fishery evaluation report for the groundfish resources of the Gulf of Alaska*. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501
- ²⁹² Anderson, P. J. 2003. Marine dynamics in the Gulf of Alaska under historical and future climate regimes. in *Marine Science in the Northeast Pacific: Science for resource dependent communities*, Anchorage, Alaska.
- ²⁹³ Courtney, D.L. and Sigler, M.F. 2002. A new analysis of Pacific sleeper shark (*Somniosus pacificus*) abundance trends. Pages 98-108 in P. A. Livingston, editor. *Ecosystem Considerations for 2003, Stock assessment and fishery evaluation report for the groundfish resources of the Gulf of Alaska*. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501.
- ²⁹⁴ Franz Mueter, University of Alaska, Fairbanks, AK, unpublished data.
- ²⁹⁵ Peterman, R. M., Pyper, B.J., Lapointe, M.F., Adkison, M.D. and Walters, C.J. 1998. Patterns of covariation in survival rates of British Columbian and Alaskan sockeye salmon (*Oncorhynchus nerka*) stocks. *Canadian Journal of Fisheries and Aquatic Science* 55: 2503-2517.
- ²⁹⁶ Pyper, B.J., Mueter, F.J., Peterman, R.M., Blackburn, D.J. and Wood, C.C. 2001. Spatial covariation in survival rates of Northeast Pacific pink salmon (*Oncorhynchus gorbuscha*). *Canadian Journal of Fisheries and Aquatic Science* 58: 1501-1515.
- ²⁹⁷ Pyper, B.J., Mueter, F.J., Peterman, R.M., Blackburn, D.J. and Wood, C.C. 2002. Spatial covariation in survival rates of Northeast Pacific chum salmon. *Transactions of the American Fisheries Society* 131: 343-363.
- ²⁹⁸ Williams, E. H., and Quinn II, T.J. 2000. Pacific herring, *Clupea pallasii*, recruitment in the Bering Sea and north-east Pacific Ocean, I: relationships among different populations. *Fisheries Oceanography* 9: 285-299.
- ²⁹⁹ Mueter, F.J. and Norcross, B.L. 2002. Spatial and temporal patterns in the demersal fish community on the shelf and upper slope regions of the Gulf of Alaska. *Fishery Bulletin* 100: 559-581.
- ³⁰⁰ Myers, R.A. and Worm, B. 2003. Rapid worldwide depletion of predatory fish communities. *Nature* 423: 280-283.
- ³⁰¹ Pauly, D., Christensen, V., Dalsgaard, J., Froese, R. and Torres Jr., F. 1998. Fishing down marine food webs. *Science* 279: 860-863.
- ³⁰² Pauly, D., Christensen, V. and Walters, C.J. 2000. Ecosim, Ecosim and Ecospace as tools for evaluating ecosystem impact of fisheries. *ICES Journal of Marine Science* 57: 697-706.
- ³⁰³ http://www.nmfs.noaa.gov/sfa/reg_svcs/councils.htm#congress
- ³⁰⁴ Orensanz, J.M., Armstrong, J., Armstrong, D. and Hilborn, R. 1998. Crustacean resources are vulnerable to serial depletion - the multifaceted decline of crab and shrimp fisheries in the greater Gulf of Alaska. *Reviews in Fish Biology and Fisheries* 8: 117-176.

- ³⁰⁵ Hunt, G.L., Kato, H. and McKinnell, S.M. 2000. Predation by marine birds and mammals in the subarctic North Pacific Ocean. *PICES Scientific Report* No. 14, 165p.
- ³⁰⁶ Trites, A.W. and Donnelly, C.P. 2003. The decline of Steller sea lions *Eumetopias jubatus* in Alaska: a review of the nutritional stress hypothesis. *Mammal Review* 33: 3-28.
- ³⁰⁷ Dragoo, D.E., Byrd, G.V. and Irons, D.B. 2001. Breeding status, population trends and diets of seabirds in Alaska, 2000. *U.S. Fish and Wildlife Service Report AMNWR 01/07*.
- ³⁰⁸ Loughlin, T.R., Perlov, A.S. and Vladimirov, V.A. 1992. Range-wide survey and estimation of total number of Steller sea lions in 1989. *Marine Mammal Science* 8: 220-239.
- ³⁰⁹ Calkins, D.G., McAllister, D.C. and Pitcher, K.W. 1999. Steller sea lion status and trend in Southeast Alaska: 1979-1997. *Marine Mammal Science* 15:462-477.
- ³¹⁰ Small, R. J. 2001. Harbor seal investigations in Alaska Annual Report. Division of Wildlife Conservation, Alaska Department of Fish and Game.
- ³¹¹ Dragoo, D.E., Byrd, G.V. and Irons, D.B. 2001. Breeding status, population trends and diets of seabirds in Alaska, 2000. *U.S. Fish and Wildlife Service Report AMNWR 01/07*.
- ³¹² Dragoo, D.E., Byrd, G.V. and Irons, D.B. 2003. Breeding status, population trends and diets of seabirds in Alaska, 2001. *U.S. Fish and Wildlife Service Report AMNWR*.
- ³¹³ Wooster, W.S. and Hollowed, A.B. 1995. Decadal-scale variations in the eastern subarctic Pacific. I. Winter ocean conditions. Pages 373-385 in R. J. Beamish, editor. Climate change and northern fish populations. *Canadian Special Publication of Fisheries and Aquatic Sciences* 121. National Research Council of Canada, Ottawa.
- ³¹⁴ Mantua, N.J. and Hare, S.R. 2002. The Pacific Decadal Oscillation. *Journal of Oceanography* 58:35-44.
- ³¹⁵ Royer, T.C., Grosch, C.E. and Mysak, L.A. 2001. Interdecadal variability of Northeast Pacific coastal freshwater and its implications on biological productivity. *Progress in Oceanography* 49: 95-111.
- ³¹⁶ Livingston, P. A., editor. 2002. *Ecosystem Considerations for 2003*. North Pacific Fishery Management Council, 605 W. 4th Ave., Suite 306, Anchorage, AK 99501.
- ³¹⁷ Mackas, D.L., Peterson, W.T. and Zamon, J.E. 2004. Comparisons of interannual biomass anomalies of zooplankton communities along the continental margins of British Columbia and Oregon. *Deep Sea Research Part II: Topical Studies in Oceanography*, In press.
- ³¹⁸ DFO. 2003. 2002 Pacific Region State of the Ocean. *DFO Science Ocean Status Report 2002*. 54pp.
- ³¹⁹ Springer, A.M., Estes, J.A., van Vliet, G.B., Williams, T.M., Doak, D.F., Danner, E.M., Forney, K.A. and Pfister, B. 2003. Sequential megafaunal collapse in the North Pacific Ocean: an ongoing legacy of industrial whaling? *PNAS* 100: 12223-12228.
- ³²⁰ Hickey, B.M. 1998. Coastal oceanography of western North America from the tip of Baja California to Vancouver Island, In *The Sea*, A.R. Robinson and K.H. Brink, (eds.), John Wiley and Sons, New York, 345-393.
- ³²¹ DFO. 2003. 2002 Pacific Region state of the ocean. *DFO Ocean Status Report 2003*. 54pp.
- ³²² Smith, R.L., Huyer, A. and Fleischbein, J. 2001. The coastal ocean off Oregon from 1961 to 2000: Is there evidence of climate change or only of Los Niños? *Progress in Oceanography* 49: 63-93.
- ³²³ Schwing, F.B., Bograd, S.J., Collins, C.A., Gaxiola-Castro, G., Garcia, J., Goericke, R., Gomez-Valdez, J., Huyer, A., Hyrenbach, K.D., Kosro, P.M., Lavaniegos, B.E., Lynn, R.J., Mantyla, A.W., Ohman, M.D., Peterson, W.T., Smith, R.L., Sydeman, W.J., Venrick, E. and Wheeler, P.A. 2002b. The state of the California Current, 2001-2002: Will the CCS keep its cool, or is El Niño looming? *CalCOFI Reports* 43: 29-62.
- ³²⁴ Freeland, H.J., Gatién, G., Huyer, A. and Smith, R.L. 2003. Cold halocline in the northern California Current: An invasion of Subarctic water. *Geophysical Research Letters* 30(3): 1141, doi:10.1029/2002GL016663.
- ³²⁵ Bograd, S.J. and Lynn, R.J. 2003. Anomalous Subarctic influence in the southern California Current during 2002. *Geophysical Research Letters* 30(15): 8020, doi:10.1029/2003GL017446.
- ³²⁶ Kosro, P.M. 2003. Enhanced southward flow over the Oregon shelf in 2002: A conduit for subarctic water. *Geophysical Research Letters* 30(15): 8023, doi:10.1029/2003GL017436.
- ³²⁷ Barth, J.A. 2003. Anomalous southward advection during 2002 in the northern California Current: Evidence from Lagrangian surface drifters. *Geophysical Research Letters* 30(15): 8024, doi:10.1029/2003GL017645.
- ³²⁸ Strub, P.T., and James, C. 2003. Altimeter estimates of anomalous transports into the California Current during 2000-02. *Geophysical Research Letters* 30(15), 8025, doi:10.1029/2003GL017513.
- ³²⁹ Murphree, T., Bograd, S.J., Schwing, F.B. and Ford, B. 2003. Large-scale atmosphere-ocean anomalies in the Northeast Pacific during 2002. *Geophysical Research Letters* 30(15): 8026, doi:10.1029/2003GL017303.
- ³³⁰ Wheeler, P.A., Huyer, A. and Fleischbein, J. 2003. Cold halocline, increased nutrients and higher productivity off Oregon in 2002. *Geophysical Research Letters* 30(15): 8021, doi:10.1029/2003GL017395.
- ³³¹ Thomas, A.C., Strub, P.T. and Brickley, P. 2003. Anomalous satellite-measured chlorophyll concentrations in the northern California Current in 2001-02. *Geophysical Research Letters* 30(15): 8022, doi:10.1029/2003GL017409.
- ³³² Venrick, E., Bograd, S.J., Checkley, D.A., Cummings, S., Durazo, R., Gilberto-Gaxiola, G., Hunter, J., Huyer, A., Hyrenbach, K.D., Lavaniegos, B.E., Mantyla, A., Schwing, F.B., Smith, R.L., Sydeman, W.J. and Wheeler, P.A. 2003. The state of the California Current, 2002-03: Tropical and subarctic influences vie for dominance, *CalCOFI Reports* 44: 28-60.
- ³³³ Brodeur, R.D., Pearcy, W.G. and Ralston, S. 2003. Abundance and distribution patterns of nekton and micronekton in the northern California Current transition zone. *Journal of Oceanography* 59: 515-535.

- ³³⁴ Sweetnam, D. (ed.). 2002. Review of some California fisheries for 2002: Market squid, sea urchin, dungeness crab, prawn, coastal pelagic finfish, albacore, ocean salmon, nearshore live-fish, Pacific herring, and recreational. *CalCOFI Reports* 44: 10-27.
- ³³⁵ Emmett, Robert. NOAA/Fisheries Newport, Oregon. Unpublished data.
- ³³⁶ www.pcouncil.org
- ³³⁷ Veit, R.R., Pyle, P. and McGowan, J.A. 1996. Ocean warming and long-term change of pelagic bird abundance within the California Current System. *Marine Ecology Progress Series* 139: 11-18.
- ³³⁸ Hyrenbach, K.D. and Veit, R.R. 2003. Ocean warming and bird assemblages of the California Current System (1987-98): Response at multiple temporal scales. *Deep-Sea Research II* 50(14-16): 2537-2565.
- ³³⁹ Scholin, C.A., Gulland, F., Doucette, G.J., Benson, S., Busman, M., Chavez, F.P., Cordaro, J., DeLong, R., DeVogelaere, A., Harvey, J., Haulena, M., Lefebvre, K., Lipscomb, T., Loscutoff, S., Lowenstine, L.J., Marin, R. III, Miller, P.E., McLellan, W.A., Moeller, P.D.R., Powell, C.L., Rowles, T., Silvagni, P., Silver, M., Spraker, T., Trainer, V. and VanDolah, F.M. 2000. Mortality of sea lions along the central California coast linked to a toxic diatom bloom. *Nature* 403: 80-84.
- ³⁴⁰ Leet, W.S. (ed.). 2001. *California's Living Marine Resources: A Status Report*. The Resources Agency, California Department of Fish and Game, 592 pp.
- ³⁴¹ Ross, P., Ellis, G.M., Ikonomou, M.G., Barrett-Lennard, L.G. and Addison, R.F. 2000. High PCB concentrations in free-ranging Pacific killer whales, *Orcinus orca*: Effects of age, sex and dietary preference. *Marine Pollution Bulletin* 40: 504-515.
- ³⁴² Huyer, A. 2003. Preface to a special section on enhanced subarctic influence in the California Current, 2002. *Geophysical Research Letters* 30(15), 8019, doi:10.1029/2003GL017724.
- ³⁴³ Schwing, F.B. and Moore, C.S. 2000. A year without summer for California, or a harbinger of a climate shift? *Transactions American Geophysical Union*. 81(27): 301ff.
- ³⁴⁴ Bograd, S.J., DiGiacomo, P.M., Durazo, R., Hayward, T.L., Hyrenbach, K.D., Lynn, R.J., Mantyla, A.W., Schwing, F.B., Sydeman, W.J., Baumgartner, T., Lavaniegos, B. and Moore, C.S. 2000. The State of the California Current, 1999-2000: Forward to a New Regime? *CalCOFI Reports* 41: 26-52.
- ³⁴⁵ Trainer, V.L., Eberhart, B-T.L., Wekell, J.C., Adams, N.G., Hanson, L., Cox, F. and Dowell, J. 2003. Paralytic shellfish toxins in Puget Sound, Washington State. *Journal of Shellfish Research* 22: 213-223.
- ³⁴⁶ Peterson, W.T. and Schwing, F.B. 2003. A new climate regime in northeast Pacific ecosystems. *Geophysical Research Letters* 30(17), 1896, doi:10.1029/2003GL017528.
- ³⁴⁷ Karhu, M., Marinone, S.G., Lluch-Cota, S.E., Parés-Sierra, A. and Mitchell, B.G. Ocean color variability in the Gulf of California: scales from the El Niño – La Niña cycle to tides. *Deep Sea Research II*, in press.
- ³⁴⁸ Lluch-Cota, S.E. 2000. Coastal upwelling in the eastern Gulf of California. *Oceanologica Acta* 23: 731-740.
- ³⁴⁹ Cortes-Altamirano, R. and Sierra-Beltran, A.P. 2001. Mitigación de microalgas nocivas, su impacto negativo en las Pesquerías, Acuicultura y Salud Pública. In Alejo-Armenta, C.A. and Gastelum, J.A., Memorias del Volumen 1, Primer Foro Estatal de Ciencia y Tecnología: Sinaloa, soluciones para el desarrollo. Gobierno del Estado de Sinaloa y Consejo Estatal de Ciencia y Tecnología, (pp. 209-228). Sinaloa, México: Gobierno del Estado de Sinaloa.
- ³⁵⁰ Alonso-Rodriguez, R., Paéz-Osuna, F. and Cortés-Altamirano, R. 2000. Trophic conditions and stoichiometric nutrient balance in subtropical waters influenced by municipal sewage effluents in Mazatlan Bay (SE Gulf of California). *Marine Pollution Bulletin* 40: 331-339.
- ³⁵¹ Osuna López, J.I., Zazueta-Padilla, H.M., López-López, G., Izaguirre-Fierro, G. and Frías-Espericueta, M. 2001. Plaguicidas organofosforados en sedimentos de lagunas costeras con importancia ecológica pesquera de Sinaloa. In Primer Foro Estatal de Ciencia y Tecnología: Sinaloa, soluciones para el desarrollo, Vol. 1 (electronic versión). Culiacan, Sinaloa, México: Gobierno del Estado de Sinaloa y Consejo Estatal de Ciencia y tecnología.
- ³⁵² Cortés-Altamirano, R., Licea-Durán, S. and Gómez-Aguirre, S. 1999. Evidencias de aumento de microalgas nocivas en la bahía de Mazatlán, Sin., México. In Tresierra-Aguilar, A.E. and Culquichicon-Malpica, Z.G. Proceedings del VIII Congreso Latinoamericano sobre Ciencias del Mar. 17-21 de Octubre de 1999, (pp. 343-345). Perú: Universidad de Trujillo.
- ³⁵³ Sierra-Beltran, A.P., Cruz, A., Nuñez, E., Del Villar, L.M., Cerecero, J. and Ochoa, J.L. 1998. An overview of the marine food poisoning in Mexico. *Toxicon* 36: 1493-1502.
- ³⁵⁴ Gonzalez-Lopez, I. 1994. Microalgas Planctónicas como Indicadoras Biológicas de "El Niño" en el Golfo de California. Serie Científica, Universidad Autónoma de Baja California Sur. Número Especial 2: 1-15.
- ³⁵⁵ Jiménez-Pérez, L.C. and Lara-Lara, J.R. 1988. Zooplankton biomass and copepod community structure in the Gulf of California during the 1982-1983 El Niño event. *California Cooperative Oceanic Fisheries Investigations Reports* 12: 122-128.
- ³⁵⁶ Lavaniegos, B.E. and Lara-Lara, J.R. 1990. Zooplankton of the Gulf of California after the 1982-1983 El Niño event: Biomass distribution and abundance. *Pacific Science* 44: 297-310.
- ³⁵⁷ Valdez-Holguín, J.E. and Lara Lara, J.R. 1987. Productividad primaria en el Golfo de California: efectos de El Niño 1982-1983. *Ciencias Marinas* 13: 34-50.
- ³⁵⁸ Hernández-Trujillo, S., Esquivel, A. and Saldierna, R. 1987. Biomasa zooplanctónica en la costa oeste de Baja California Sur 1982-1985. In M. Ramírez, Memorias del Simposio de Investigaciones de Biología Pesquera en México (pp. 161-170). México.
- ³⁵⁹ Salinas-Zavala C.A., Douglas, A.V. and Díaz, H.F. 2002. Interannual variability of NDVI in northwest México. Associated Climatic Mechanism and Ecological Implications. *Remote Sensing of Environment* 82: 417-430.

- ³⁶⁰ Ehrhardt, N.M., Solís-Nava, A., Jacquemin, P.S., Ortiz-Cobos, J., Ulloa-Ramírez, P., González-Dávila, G. and García-Badillo, F. 1986. Análisis de la biología y condiciones del stock del calamar gigante *Dosidicus gigas* en el Golfo de California, México, durante 1980. *Ciencia Pesquera* 5: 63-76.
- ³⁶¹ S. Lizarraga, personal communication.
- ³⁶² Tershy, B., Breese, D. and Alvarez-Borrego, S. 1991. Increase in cetacean and seabird numbers in the Canal de Ballenas during an el Niño Southern Oscillation event. *Marine Ecology Progress Series* 9, 299-302.
- ³⁶³ Gendron, L.D. 1991. Distribución y abundancia de ballenas azules (*Balaenoptera musculus*) y el eufáusido (*Nyctiphanes simplex*) en el suroeste del Golfo de California. M.C. Thesis, Centro Interdisciplinario de Ciencias Marinas, La Paz, B.C.S., México, unpublished.
- ³⁶⁴ Auriolles, G.D. and Le Bœuf, B.J. 1991. Effects of the El Niño 1983 on the California sea lion population in México. In F. Trillmich & K. Ono, *Pinnipeds and El Niño. Responses to environmental stress* (pp. 112-118). USA: Springer-Verlag.
- ³⁶⁵ Samaniego, A. 2000. El efecto de El Niño (1997-1998) sobre la población de lobo marino (*Zalophus californianus* Lesson, 1828), en la Bahía de la Paz, B.C.S. México. BSc Thesis. Universidad Michoacana de San Nicolás de Hidalgo, Morelia Mich. México, unpublished.
- ³⁶⁶ Lluch-Belda, D., Hernandez-Vazquez, S., Lluch-Cota, D.B., Salinas-Zavala, C. and Schwartzlose, R. 1992. The recovery of the California sardine as related to global change. *California Cooperative Oceanic Fisheries Investigations Reports* 33: 50-59.
- ³⁶⁷ Schwartzlose, R.A., Alheit, J., Bakun, A., Baumgartner, T., Cloete, R., Crawford, R.J.M., Fletcher, W.J., Green-Ruiz, Y., Hagen, E., Kawasaki, T., Lluch-Belda, D., Lluch-Cota, S.E., MacCall, A.D., Matsuura, Y., Nevarés-Martínez, M.O., Parrish, R.H., Roy, C., Serra, R., Shust, K.V., Ward, N.M. and Zuzunaga, J.Z. 1999. Worldwide large-scale fluctuations of sardine and anchovy populations. *South African Journal of Marine Science* 21: 289-347.
- ³⁶⁸ Polovina, J.J. and Howell, E. unpublished results.
- ³⁶⁹ Roden, G.I. 1970. Aspects of the mid-Pacific transition zone. *Journal of Geophysical Research* 75:1097-1109.
- ³⁷⁰ Roden, G.I. 1991. Subarctic-Subtropical Transition Zone of the North Pacific: large-scale aspects and mesoscale structure. IN J. A. Wetherall (ed.), *Biology, oceanography and fisheries of the North Pacific Transition Zone and Subarctic Frontal Zone*. NOAA Technical Report NMFS 105: 1-38.
- ³⁷¹ Reid, J.L., Jr. 1973. The shallow salinity minima of the Pacific Ocean. *Deep-Sea Research* 20: 51-68.
- ³⁷² Roden, G.I. 1972. Temperature and salinity fronts at the boundaries of the subarctic-subtropical transition zone in the western Pacific. *Journal of Geophysical Research* 77: 7175-7178.
- ³⁷³ Roden, G.I. 1980. On the Subtropical Frontal Zone north of Hawaii during winter. *Journal of Physical Oceanography* 10: 342-362.
- ³⁷⁴ Roden, G.I. 1981. Mesoscale thermohaline, sound velocity and baroclinic flow structure of the Pacific Subtropical Front during the winter of 1980. *Journal of Physical Oceanography* 11: 658-675.
- ³⁷⁵ Roden, G.I. 1977. Oceanic subarctic fronts of the central Pacific: structure of and response to atmospheric forcing. *Journal of Physical Oceanography* 7: 761-778.
- ³⁷⁶ Favorite, F., Dodimead, A.J. and Nasu, K. 1976. Oceanography of the subarctic Pacific region, 1960-1972. *International North Pacific Fisheries Commission Bulletin* 33: 1-187.
- ³⁷⁷ Seki, M.P., Polovina, J.J., Kobayashi, D.R., Bidigare, R.R. and Mitchum, G.T. 2002. An oceanographic characterization of swordfish (*Xiphias gladius*) longline fishing grounds in the springtime subtropical North Pacific. *Fisheries Oceanography* 11(5): 251-266.
- ³⁷⁸ Lynn, R.J. 1986. The subarctic and northern subtropical fronts in the eastern North Pacific Ocean in spring. *Journal of Physical Oceanography* 16: 209-222.
- ³⁷⁹ Eppley, R.W., Renger, E.H., Venrick, E.L. and Mullin, M.M. 1973. A study of plankton dynamics and nutrient cycling in the central gyre of the North Pacific Ocean. *Limnology and Oceanography* 18: 534-551.
- ³⁸⁰ Polovina, J. J., Howell, E., Kobayashi, D.R., and Seki, M.P. 2001. The transition zone chlorophyll front, a dynamic global feature defining migration and forage habitat for marine resources. *Progress in Oceanography* 49: 469-483.
- ³⁸¹ Data source: Unpublished data of the Fisheries Agency of Japan.
- ³⁸² Dearborn, D.C., Anders, A.D. and Flint, E.N. 2001. Trends in reproductive success of Hawaiian seabirds: is guild membership a good criterion for choosing indicator species? *Biological Conservation* 101: 97-103.
- ³⁸³ Data source: Monitored by staff of the Northwestern Hawaiian Islands (NWHI) Wildlife Refuge, U.S. Fish and Wildlife Service.
- ³⁸⁴ Polovina, J.J., Kobayashi, D.R., Parker, D.M., Seki, M.P. and Balazs, G.H. 2000. Turtles on the edge: movement of loggerhead turtles (*Caretta caretta*) along oceanic fronts, spanning longline fishing grounds in the central North Pacific, 1997-1998. *Fisheries Oceanography* 9: 71-82.
- ³⁸⁵ Graham, N.E. 1976. Decadal scale variability in the 1970s and 1980s: Observations and model results. *Climate Dynamics* 10: 60-70.
- ³⁸⁶ Bayliff, W.H. 2001. Status of bluefin tuna in the Pacific Ocean. *Inter-American Tropical Tuna Commission, Stock Assessment Report* 1: 211-254.
- ³⁸⁷ Watters, G. 1999. CPUEs of Pacific bluefin tuna in a core fishing area extending from the coast of Japan to 150W: using regression trees to hypothesize about CPUEs for times and areas in which there was no fishing. Document 7, Sixth Joint NRIFS-IATTC (National Research Institute of Far Seas Fisheries-Inter-American Tropical Tuna Commission) Workshop on Pacific Bluefin Tuna, December 8-9, 1999, Shimizu, Japan. 10 p.
- ³⁸⁸ Tomlinson, P.K. 1996. Movement of large bluefin tuna, *Thunnus thynnus*, in the North Pacific Ocean, as determined from the Japanese longline fishery, and implications regarding interactions between the fisheries of the western and eastern Pacific Ocean. *FAO Fisheries Technical Paper* 365: 425-459.

- ³⁸⁹ Bell, R.R. 1963. Synopsis of biological data on California bluefin tuna *Thunnus saliens* Jordan and Evermann 1926. *FAO Fisheries Report* 6: 380-421.
- ³⁹⁰ Bayliff, W.H. 1994. A review of the biology and fisheries for northern bluefin tuna, *Thunnus thynnus*, in the Pacific Ocean. *FAO Fisheries Technical Paper* 336 (2): 244-295.
- ³⁹¹ Bayliff, W.H. 1996. Indices of abundance of northern bluefin tuna, *Thunnus thynnus*, in the eastern Pacific Ocean. *FAO Fisheries Technical Paper* 365: 460-475.
- ³⁹² Anonymous. 1999. Report of the Sixth Joint NRIFS-IATTC Workshop on Pacific bluefin tuna. December 8-9, 1999. Shimizu, Japan.
- ³⁹³ Anonymous. 2000. Report of the Interim Scientific Committee Bluefin Tuna Working Group. Nov. 30-1 Dec., 2000. Shimizu, Japan.
- ³⁹⁴ Itoh, T., Tsuji, S. and Nitta, A. 2003. Migration patterns of young Pacific bluefin tuna (*Thunnus orientalis*) determined with archival tags. *U.S. National Marine Fisheries Service, Fishery Bulletin* 101: 514-534.
- ³⁹⁵ Anonymous. 2002. Status of albacore tuna in the Pacific Ocean. *Inter-American Tropical Tuna Commission, Stock Assessment Report* 2: 265-296.
- ³⁹⁶ Childers, J. 2002. Summary of the 2001 U.S. North and South Pacific albacore troll fisheries. *NMFS-SWFSC Administrative Report* LJ-02-05. 43 p.
- ³⁹⁷ Laurs, R.M. and Lynn, R.J. 1977. Seasonal migration of North Pacific albacore, *Thunnus alalunga*, into North American coastal waters: distribution, relative abundance, and association with Transition Zone waters. *U.S. National Marine Fisheries Service, Fisheries Bulletin* 75: 795-822.
- ³⁹⁸ Childers, J. and Miller, F.R. 2000. Summary of the 1999 U.S. North and South Pacific albacore troll fisheries. *NMFS-SWFSC Administrative Report* LJ-00-06. 42 p.
- ³⁹⁹ Anonymous. 2004. Inter-American Tropical Tuna Commission, *Annual Report for 2002*: Tables 9d/9e, in preparation.
- ⁴⁰⁰ Anonymous. 2003. Tunas and billfishes in the eastern Pacific Ocean in 2002. Inter-American Tropical Tuna Commission, *Fisheries Status Report* 1: in press.
- ⁴⁰¹ Olson, R.J. and Watters, G.M. 2003. A model of the pelagic ecosystem in the eastern tropical Pacific Ocean. *Inter-American Tropical Tuna Commission, Bulletin* 22: 133-218.
- ⁴⁰² This work was conducted as part of the Ecological Implications of Alternative Fishing Strategies for Apex Predators Working Group supported by the National Center for Ecological Analysis and Synthesis, a Center funded by NSF (Grant #DEB-0072909), the University of California, and the Santa Barbara campus.
- ⁴⁰³ Watters, G.M., Olson, R.J., Francis, R.C., Fiedler, P.C., Polovina, J.J., Reilly, S.B., Aydin, K.Y., Boggs, C.H., Essington, T.E., Walters, C.J. and Kitchell, J.F. 2003. Physical forcing and the dynamics of the pelagic ecosystem in the eastern tropical Pacific: simulations with ENSO-scale and global-warming climate drivers. *Canadian Journal of Fisheries and Aquatic Sciences* 60: 1161-1175.
- ⁴⁰⁴ Maunder, M.N. and Watters, G.M. 2002. Status of yellowfin tuna in the eastern Pacific Ocean. *Inter-American Tropical Tuna Commission, Stock Assessment Report* 2: 5-90.
- ⁴⁰⁵ INPFC. 1978. Historical catch statistics for salmon of the North Pacific Ocean. *International North Pacific Fisheries Commission Bulletin* 39, Vancouver, B.C.
- ⁴⁰⁶ Beamish, R. J. and Bouillon, D.R. 1993. Pacific salmon production trends in relation to climate. *Canadian Journal of Fisheries and Aquatic Sciences* 50: 1002-1016.
- ⁴⁰⁷ Kaeriyama, M. 1998. Dynamics of chum salmon, *Oncorhynchus keta*, population released from Hokkaido in Japan. pp. 90-111, in *Assessment and Status of Pacific Rim Salmonid Stocks* (ed) D.W. Welch, D.M. Eggers, K. Wakabayashi, and V.K. Karpenko. *Bulletin of North Pacific Anadromous Fish Commission* No. 1, 513p.
- ⁴⁰⁸ Hiroi, O. 1998. Historical trends of salmon fisheries and stock conditions in Japan. pp 1-12 *In: Assessment and Status of Pacific Rim Salmonid Stocks* (ed) D.W. Welch, D.M. Eggers, K. Wakabayashi, and V.K. Karpenko. *Bulletin of North Pacific Anadromous Fish Commission* No. 1, 513p.
- ⁴⁰⁹ Bigler, B.S., Welch, D.W. and Helle, J.H. 1996. A review of size trends among North Pacific salmon (*Oncorhynchus* spp.) *Canadian Journal of Fisheries and Aquatic Sciences* 53: 455-465.
- ⁴¹⁰ Helle, J.H. and Hoffman, M.S. 1998. Changes in size and age at maturity of two North American stocks of chum (*Oncorhynchus keta*) before and after a major regime shift in the North Pacific Ocean. pp. 81-89, in *Assessment and Status of Pacific Rim Salmonid Stocks* (ed) D.W. Welch, D.M. Eggers, K. Wakabayashi, and V.K. Karpenko. *Bulletin of North Pacific Anadromous Fish Commission* No. 1, 513p.
- ⁴¹¹ Walker, R.V., Myers, K.M. and Ito, S. 1998. Growth studies from 1956-95 collections of pink and chum salmon scales in the central North Pacific Ocean. pp. 54-65 in *Assessment and Status of Pacific Rim Salmonid Stocks* (ed) D.W. Welch, D.M. Eggers, K. Wakabayashi, and V.K. Karpenko. *Bulletin of North Pacific Anadromous Fish Commission* No. 1, 513p.
- ⁴¹² Kope, R. and T. Wainwright. 1998. Trends in the status of Pacific salmon populations in Washington, Oregon, California, and Idaho. pp. 1-12 in *Assessment and Status of Pacific Rim Salmonid Stocks* (ed) D.W. Welch, D.M. Eggers, K. Wakabayashi, and V.K. Karpenko. *Bulletin of North Pacific Anadromous Fish Commission* No. 1, 513p.
- ⁴¹³ NRC (Committee on Protection and Management of Pacific Northwest Anadromous Salmonids, National Research Council). 1996. *Upstream: Salmon and Society in the Pacific Northwest*. National Academy Press, Washington, D.C.
- ⁴¹⁴ Henderson, M.A. and Graham, C.C. 1998. History and status of Pacific salmon in British Columbia. pp. 13-22 in *Assessment and Status of Pacific Rim Salmonid Stocks* (ed) D.W. Welch, D.M. Eggers, K. Wakabayashi, and V.K. Karpenko. *Bulletin of North Pacific Anadromous Fish Commission* No. 1.
- ⁴¹⁵ Van Alen, B.W. 2000. Status and stewardship of salmon stocks in Southeast Alaska. pp. 161 – 193 in E.E. Knudsen, C. R. Steward, D.D. MacDonald, J. E. Williams, and D. W. Reiser (eds) *Sustainable Fisheries Management: Pacific Salmon*. Lewis Publishers Boca Raton.

⁴¹⁶ Witheral, D., Ackley, D. and Coon, C. 2002. An overview of salmon bycatch in Alaska groundfish fisheries. *Alaska Fishery Research Bulletin* 9: 53-64. Alaska Department of Fish and Game, Div. Commercial Fisheries, Juneau

⁴¹⁷ Radchenko, V.I. 1998. Historical trends of fisheries and stock conditions of Pacific salmon in Russia. Pp 28-37 in *Assessment and Status of Pacific Rim Salmonid Stocks* (ed) D.W. Welch, D.M. Eggers, K. Wakabayashi, and V.K. Karpenko. *Bulletin of North Pacific Anadromous Fish Commission* No. 1.